



MINING BROCHURE





In today's highly regulated environment of MRO chemicals, you need a manufacturer you can trust when making crucial decisions on chemical maintenance products. For over 50 years, CRC has made a commitment to provide the best solution for our customers. By offering a full-line of specialty chemical products custom-matched to meet every application need, you can be sure that CRC has the right solution for your MRO Chemical needs.

CRC is an ISO-9001:2008 certified manufacturer and places strict controls on every step of our product development and manufacturing process; starting with the finest raw materials and continuing with our consistent, quality manufacturing techniques. *Becoming certified to ISO standards is not a requirement, but meeting ISO standards and continually gaining re-certification is an excellent example of our commitment to quality and consistency.*

In addition to quality products, CRC offers value-added programs such as our Risk Reduction Partnership Plan™, Environmentally Preferred Products, Safety Shorts Training & MDS[L]™ product labeling. These programs offer solutions to everyday problems and facilitate compliance with MSHA regulations.

CRC - Your Best Solution™



MSD[L]™

Where you need it most...right on the can.



CRC is the only company in the industry to offer the MSD[L]™ – a **Material Safety Data Sheet** printed on the reverse side of the product label. The label provides the MSDS where you need it most, right on the aerosol can. This instant source of disposal and first aid information helps to promote a better, safer work environment.

TABLE OF CONTENTS

Mining equipment operates in the harshest of environments, above and below ground. Proper and timely maintenance is crucial to minimizing downtime and maximizing profits. As one of the world's leading manufacturers of chemical maintenance products, CRC has made a commitment to provide the best solution for our customers. CRC offers a broad range of products – over 700 SKUs in product categories including Cleaners, Degreasers, Lubricants, Corrosion Inhibitors and Sealants. CRC always has the right MRO chemical solution!

In this catalog, we have categorized our MRO chemicals into 4 major areas of Mining operation, helping you find the best fit for your maintenance chemical application.

MATERIAL HANDLING – conveyor belts, railcars, power shovels, draglines and buckets

EQUIPMENT MAINTENANCE – crushers, hoppers, mineral processing units, electrical components, blasting & drilling equipment and waste & water treatment facilities

VEHICLE MAINTENANCE – dozers, excavators, graders, loaders, forklifts and haul trucks

WORKER PERSONAL CARE – hand care (cleaning & disinfecting), pest control and sun protection

CRC takes great pride in our value-added programs, such as our **MSD[L]™** product labeling and our award winning **Risk Reduction Partnership Plan™**...

CRC is the only company in the industry to offer the **MSD[L]™** – a Material Data Safety Sheet printed on the reverse side of most of its aerosol labels. This feature provides an instant source of disposal and first aid information, and helps facilitate compliance with MSHA regulations.

The **Risk Reduction Partnership Plan™** by CRC was designed specifically to uncover hidden cost generators and potential regulatory compliance gaps. Our innovative 5 step process helps to minimize MRO chemical ownership costs, while maximizing performance of equipment and workforce. Since the programs introduction in 2000, CRC has documented millions of dollars of cost savings! To learn more about the **Risk Reduction Partnership Plan™** from CRC, turn to page 15.

CRC has grown by addressing the needs of our customers, and our commitment to innovation and quality service will allow us to continue to be the one you call when you want the best! **CRC – Your Best Solution™!**

For additional information on CRC products and programs, visit our web site www.crcindustries.com/ei, or call our Technical Service Hotline at 1-800-521-3168.

MATERIAL HANDLING

CLEANERS & DEGREASERS.....	4
LUBRICANTS.....	7
GREASES	9

EQUIPMENT MAINTENANCE

CLEANERS & DEGREASERS.....	10
LUBRICANTS.....	11
CORROSION INHIBITORS.....	12
PARTS CLEANING SYSTEMS.....	12
TOOL & EQUIPMENT OILS.....	13
METALWORKING & WELDING.....	13
SEALANTS AND ADHESIVES.....	14

VEHICLE MAINTENANCE

CLEANERS & DEGREASERS.....	16
FUEL ADDITIVES.....	18
CORROSION INHIBITORS.....	19
WINTER PRODUCTS	19

WORKER PERSONAL SAFETY

INSECT MANAGEMENT.....	21
WIPES & TOWELS.....	21
HAND CLEANERS	22

MATERIAL HANDLING

CRC has the cleaners, lubricants and greases to help get your product delivered from loading point to discharge point as economically and efficiently as possible.

CLEANERS & DEGREASERS

CO® CONTACT CLEANER

- Optimal alternative to CFC, HCFC and flammable contact cleaners
- Non-flammable
- Plastic Safe
- Evaporates quickly and leaves no residue
- Non-chlorinated, non-staining and non-corrosive
- High dielectric strength of 27,600 volts
- VOC exempt
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units per Case
02016 ¹	16 oz Aerosol	12
02017 ¹	16 oz Non-Aerosol Can w/Trigger	12



Use **CRC Heavy Duty Degreaser** to remove dirt, grime & corrosion from moving parts and increase the operating efficiency of equipment.

CONTACT CLEANER 2000® PRECISION CLEANER

- Evaporates quickly, leaves no residue
- Contains no Class I or Class II Ozone Depleting Chemicals
- No flash or fire point
- Non-conductive and non-corrosive
- Test on plastics
- Not recommended for use on Noryl® or polycarbonate type plastics

Noryl® is a registered trademark of General Electric Corporation

Part Number	Container Size	Units per Case
03150 ¹	16 oz Aerosol	12
03152 ¹	5 Gallon Pail	1
03153 ¹	55 Gallon Drum	1

XT-2000™ PRECISION CLEANER

- Effectively removes dirt, light oils and other contaminants from electronic equipment
- No flash point
- Evaporates rapidly leaving no residue
- Chemically stable, non-conductive, non-corrosive and non-flammable
- Low odor, safe on most plastics

Part Number	Container Size	Units per Case
03155 ¹	16 oz Aerosol	12
03157 ¹	5 Gallon Pail	1

QD® CONTACT CLEANER

- Petroleum distillate and alcohol blended precision cleaner suitable for cleaning sensitive electronics
- Plastic Safe
- Evaporates quickly and leaves no residue
- Effectively removes soil and other contaminants from electronic components
- Ideal for applications where lower flashpoint solvents can be used
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units per Case
03130 ¹ *	16 oz Aerosol	12
03131 ^{*1}	5 Gallon Pail	1
03132 ^{*1}	55 Gallon Drum	1

HEAVY DUTY DEGREASER

- Effectively removes grease, oil, tar, dirt, grime, corrosion, sludge and other stubborn substances to increase operating efficiency of equipment
- No flash or fire point
- Fast evaporation with no residue
- Non-corrosive, non-staining and non-conductive
- High dielectric strength of 36,800 volts
- High cleaning strength of 117 KB
- Contains no Class I or Class II Ozone Depleting Chemicals
- Use caution on plastics

Part Number	Container Size	Units per Case
03095 ²	20 oz Aerosol	12
03095T ²	20 oz Aerosol w/ Trigger	12
03995 ³	20 oz Aerosol	12
03096 ³	1 Gallon Bottle	4
03097 ³	5 Gallon Pail	1
03098 ³	55 Gallon Drum	1

¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ³Not for retail sale, for use in manufacturing establishments only.

⁴For energized equipment use only. *This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

☉ 360° spray valve – can be sprayed from any position.

Customer Service: (800) 272-4620 • Online MSDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168

More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified

MATERIAL HANDLING

SUPER DEGREASER™

- Non-conductive, non-corrosive, and non-staining
- No flash or fire point
- Evaporates rapidly and leaves no residue
- Optimal alternative to 1,1,1-Trichloroethane products
- No flash or fire point
- Contains no chlorinated solvents
- High dielectric strength of 26,800 volts
- Contains no Class I or Class II Ozone Depleting Chemicals
- Use caution on plastics

Part Number	Container Size	Units per Case
03110 ¹	20 oz Aerosol	12
03111 ^{1,3}	1 Gallon Bottle	4
03112 ^{1,3}	5 Gallon Pail	1
03113 ^{1,3}	55 Gallon Drum	1
03114 ^{1,3}	16 oz Non-Aerosol Can w/Trigger	12
03510 ³	20 oz Aerosol	12
03910 ^{1,3}	20 oz Aerosol	12

T-FORCE® DEGREASER

- Quickly dissolves grease, oil and sludge for more efficient operation of mechanical equipment
- Evaporates rapidly, leaves no residue and has a good health & safety profile
- Revolutionary formula – does not contain TCE, Perc or nPB
- Reduced VOC formula
- No flash or fire point
- Non-corrosive, non-staining and non-conductive
- High dielectric strength of 39,000 volts
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units per Case
03115 ¹	20 oz Aerosol	12

CITRUS DEGREASER

- d-Limonene and petroleum blended degreaser
- Does not require water wash-off
- Controlled evaporation, leaves no residue
- Non-corrosive, non-abrasive and non-staining
- Pleasant citrus scent
- High dielectric strength of 58,600 volts
- Use caution on plastics and paints

Part Number	Container Size	Units per Case
14170 [Ⓞ]	20 oz Aerosol	12
14171 ³	16 oz Non-Aerosol Can w/Trigger	12
14172 ³	1 Gallon Bottle	4
14173 ³	5 Gallon Pail	1
14174 ³	55 Gallon Drum	1

NATURAL DEGREASER™

- Does not require water wash-off
- Leave no sticky residue commonly associated with citrus-based cleaners
- Contains no Class I or Class II Ozone Depleting Chemicals or chlorinated solvents
- Blend of natural citrus and organic solvents
- Non-corrosive and effective for use on all metals
- High dielectric strength of 28,400 volts
- Non-abrasive and non-staining
- Use caution on plastics and paints

Part Number	Container Size	Units per Case
14005	20 oz Aerosol	12
14007	5 Gallon Pail	1
14008	55 Gallon Drum	1

CHLOR-FREE® DEGREASER

- Use where rapid turn-around is necessary
- Fast drying to help minimize downtime
- Leaves no residue
- Non-conductive, non-corrosive and non-staining
- Penetrates quickly to remove oil, grease and other contaminants
- Use caution on plastics
- Use where low flash point solvents can be used

Part Number	Container Size	Units per Case
03185 ^{*1}	20 oz Aerosol	12
03187 ^{*3}	5 Gallon Pail	1
03188 ^{*3}	55 Gallon Drum	1
03189 ^{*3}	16 oz Non-Aerosol Can w/Trigger	12
03985 ^{*3}	20 oz Aerosol	12

DUSTER™ AEROSOL DUST REMOVAL SYSTEM

- Removes dirt and dust from any surface without damaging sensitive components or surface finish
- Penetrates into cracks and crevices to remove contaminants that normal hand dusting cannot reach
- Delivers a powerful blast of product to remove embedded debris
- Extension tube can be used for more precise delivery
- Non-flammable, plastic safe
- No residue
- Non-abrasive

Part Number	Container Size	Units per Case
14085	12 oz Aerosol w/ Trigger	12



¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ³Not for retail sale, for use in manufacturing establishments only. ⁴For energized equipment use only. *This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized. [Ⓞ] 360° spray valve – can be sprayed from any position.

Customer Service: (800) 272-4620 • Online MSDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
 More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified

MATERIAL HANDLING



CABLE CLEAN® DEGREASER High Voltage Splice Cleaner

- Prevents current leakage, excessive resistance, reduced performance and arcing at splice and termination junctions
- No flash or fire point
- Evaporates rapidly, leaves no residue
- Non-chlorinated, non-conductive, non-staining
- Contains no 1,1,1-Trichloroethane

Part Number	Container Size	Units per Case
02064 ¹	20 oz Aerosol	12
02066 ¹	1 Gallon Bottle	4
02067 ¹	5 Gallon Pail	1

CABLE CLEAN® RD™ (Rapid Dry) High Voltage Splice Cleaner

- Can be used to replace 1,1,1-Trichloroethane without sacrificing performance
- Contains no known Ozone Depleting Chemicals
- Non-flammable
- Residue free, rapid evaporation
- Removes wire pulling compounds, antioxidation compounds, and semi-conductive particles which can remain on cable after removal of insulation
- Non-corrosive, non-conductive and non-staining
- High dielectric strength of 41,100 volts

Part Number	Container Size	Units per Case
02150	16 oz Aerosol	12
02152	1 Gallon Bottle	4

GREEN FORCE® HEAVY DUTY CLEANER

- US EPA Design for Environment (DfE) recognized
- Biodegradable and concentrated
- Low VOC content
- Industrial strength aqueous cleaner with the performance of a traditional solvent
- Low odor, pleasant scent
- Non-flammable

Part Number	Container Size	Units per Case
14455	1 Gallon Bottle	4
14456	5 Gallon Pail	1
14458	55 Gallon Drum	1

HYDROFORCE® INDUSTRIAL STRENGTH DEGREASER

- Aqueous degreaser with the power of a solvent
- Non-flammable
- Safe on most plastics
- Concentrated, non-abrasive
- Low foaming – perfect for hand-held pressure washers & industrial high pressure parts washers
- Perfect for machinery, motors, concrete and non-porous surfaces
- Use caution on soft metals and painted surfaces

Part Number	Container Size	Units per Case
14414	20 oz Aerosol	12
14415	32 oz Trigger Spray Bottle	12
14416	1 Gallon Bottle	4
14417	5 Gallon Pail	1
14418	55 Gallon Drum	1
14420	275 Gallon Tote	1

HYDROFORCE® ALL PURPOSE DEGREASER

- For grease busting strength with maximum versatility
- Non-flammable
- Safe on most plastics
- Biodegradable and concentrated
- Non-corrosive, non-abrasive
- Low-foaming – perfect for hand-held pressure washers & industrial high pressure parts washers

Part Number	Container Size	Units per Case
14406	20 oz Aerosol	12
14407	32 oz Trigger Spray Bottle	12
14408	1 Gallon Bottle	4
14409	5 Gallon Pail	1
14410	55 Gallon Drum	1
14421	275 Gallon Tote	1

HYDROFORCE® BUTYL-FREE ALL PURPOSE CLEANER

- Aqueous all-purpose cleaner with maximum regulatory compliance
- Outperforms many competing cleaners containing butyl
- Non-flammable
- Safe on most plastics
- Biodegradable and concentrated
- Non-corrosive, non-abrasive
- Floor wax safe

Part Number	Container Size	Units per Case
14405	20 oz Aerosol	12
14401	32 oz Trigger Spray Bottle	12
14402	1 Gallon Bottle	4
14403	5 Gallon Pail	1
14404	55 Gallon Drum	1
14422	275 Gallon Tote	1



¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ³Not for retail sale, for use in manufacturing establishments only. ⁴For energized equipment use only. *This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Service: (800) 272-4620 • Online MSDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified

MATERIAL HANDLING

LUBRICANTS

2-26® MULTI-PURPOSE PRECISION LUBRICANT

- Drives out moisture leaving a thin, long lasting film to protect against corrosion
- Excellent for use around modern plastics and insulators
- Plastic Safe
- Prevents corrosion by displacing moisture
- Restores resistance values, helps stop current leakage
- Helps restore water damaged electrical equipment
- Convenient 360° spray valve – can be sprayed from any position

Part Number	Container Size	Units per Case
02004	6 oz Aerosol	12
02005	16 oz Aerosol	12
02006	1 Gallon Bottle	4
02007	16 oz Trigger Bottle	12
02009	5 Gallon Pail	1
02011	55 Gallon Drum	1

SCREWLOOSE® SUPER PENETRANT

- Penetrates through rust and corrosion
- Facilitates fast and easy disassembly of mechanical components, fittings, assemblies and other fasteners
- Clear formula contains no dyes and leaves no mess
- VOC compliant

Part Number	Container Size	Units per Case
03060	16 oz Aerosol	12
03062	1 Gallon Bottle	4
03064	55 Gallon Drum	1

EXTREME DUTY SILICONE

- Premium grade silicone fluid that exhibits superior lubrication and temperature viscosity characteristics
- Reduces friction and galling even on metal-to-metal contact areas
- High temperature (-100°F to 450°F), high pressure (withstands 1200 lbs Falex test)
- High grade release and parting agent
- Clear, non-staining, odorless film resists moisture
- Convenient 360° spray valve – can be sprayed from any position

Part Number	Container Size	Units per Case
03030	16 oz Aerosol	12



Use **CRC Extreme Duty Silicone** to reduce friction on metal-to-metal contact areas.

KNOCK'ER LOOSE® PENETRATING SOLVENT

- Industrial strength, low viscosity lubricant
- Dissolves rust, grease, gum and corrosion
- Creeps into cracks, seams, threads and joints better than the competition
- Eases the disassembly of machinery, tools and equipment for routine maintenance and emergency repairs
- Loosens rusted and corroded nuts, bolts and frozen components
- Lubricating residue prevents corrosion
- VOC compliant

Part Number	Container Size	Units per Case
03020	16 oz Aerosol	12
03021	1 Gallon Can	4
03022	5 Gallon Pail	1
03023	55 Gallon Drum	1
03024	16 oz Non-Aerosol Can w/Trigger	12
03025	8 oz Spout Can	24

FOOD GRADE BELT DRESSING

- Provides a temporary, synthetic treatment for worn belts
- Extends belt life by reducing slippage, hardening, glazing, dirt build-up and friction
- Use on leather, rubber, canvas or fabric
- Ideally suited for flat, round and V-belts
- Meets FDA regulation 21 CFR 178.3570 for incidental food contact
- NSF H1 Registered for use meat and poultry plants
- Tacky, non-drying, water-resistant film minimizes drive belt slippage, resists water wash-off, maintains belt flexibility and prevents loads from slipping on conveyor systems
- Colorless – will not stain finished goods transported on conveyor systems

Part Number	Container Size	Units per Case
03065*	16 oz Aerosol	12



¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ³Not for retail sale, for use in manufacturing establishments only. ⁴For energized equipment use only. *This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized. ⁵ 360° spray valve – can be sprayed from any position.

MATERIAL HANDLING

NICKEL ANTI-SEIZE AND LUBRICATING COMPOUND

- Protects metal-to-metal applications from seizing and galling caused by high temperatures, heavy loads, vibration, chemicals and corrosion
- High temperature resistance protects parts up to 2400°F
- Electrically conductive – does not insulate and interrupt current flow
- Does not compromise integrity of soft metals
- Safe for use on both ferrous and non-ferrous metals
- Will not harden – heat aging won't affect lubricity of product
- Resistant to mild detergents and alkaline wash to protect against rust and corrosion

Part Number	Container Size	Units per Case
SL35911	8 oz Brush-Top Bottle	12
SL35913	16 oz Brush-Top Bottle	12

COPPER ANTI-SEIZE AND LUBRICATING COMPOUND

- Prevents seizing and galling caused by high temperature, heavy loads, vibration and corrosion
- A smooth texture, fine particle sizing and familiar copper color, make it an excellent choice for closely fitted parts needing extreme lubrication
- Copper-based, safe for use on both ferrous and non-ferrous metals
- High temperature resistance protects parts up to 1800°F
- Electrically conductive – does not insulate and interrupt current flow
- Does not compromise integrity of soft metals
- Will not harden – heat aging won't affect lubricity of product

Part Number	Container Size	Units per Case
SL35901	8 oz Brush-Top Bottle	12
SL35903	16 oz Brush-Top Bottle	12
14095*	16 oz Aerosol	12

RED GREASE

- Heavy-duty, waterproof, NLGI Grade 2 aluminum complex based grease
- Forms a tenacious, long lasting thick film
- Resists acids, alkalis, salt, oxidation, weather and steam
- Withstands high temperature (up to 500°F) and pressure (45 lb. Timken OK load)
- Red color provides easy visual inspection

Part Number	Container Size	Units per Case
03079*	16 oz Aerosol	12

EXTREME DUTY OPEN GEAR & CHAIN LUBE

- A tough, tacky, solid film lubricant used for reducing friction and wear
- Penetrates pores of metal, with exceptional "stay-put" characteristics
- Provides maximum lubrication and shock protection
- Reduces friction and wear
- Contains Moly and Graphite
- Wide temperature range from -25°F to 350°F
- Will not wash or wear because of weather

Part Number	Container Size	Units per Case
03058	16 oz Aerosol	12

CHAIN & WIRE ROPE LUBRICANT

- Blend of synthetic lubricants and an organic molybdenum
- Anti-wear additive penetrates deep, and leaves a tough film that lubricates and protects
- Extends the working life of chains and wire rope
- Reduces wear caused by friction and corrosion
- Resists water wash-off and high-temperature sling off
- Absorbs pin/bushing shock and cushions rollers, pins and bushing
- Can be applied with guards in place to eliminate costly downtime
- High temperature stability (up to 350°F continuous)

Part Number	Container Size	Units per Case
03050*	16 oz Aerosol	12
03053*	55 Gallon Drum	1



CRC Extreme Duty Open Gear & Chain Lube resists wash or wear associated with weather exposure.

¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ³Not for retail sale, for use in manufacturing establishments only. ⁴For energized equipment use only. *This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Service: (800) 272-4620 • Online MSDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
 More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified

MATERIAL HANDLING

GREASES

EXTREME PRESSURE STA-PLEX™ PREMIUM RED GREASE

- Extremely versatile lithium complex, NLGI #2 grease with excellent high temperature lubrication
- Protects against rust and oxidation
- Typical drop point: 500°F

Part Number	Container Size	Units per Case
SL3190	14 oz Cartridge	10
SL3191	14 oz Can	12
SL3195	35 lb Pail	1
SL3197	120 lb Keg	1

LITHIUM GENERAL PURPOSE GREASE


- Lithium base, NLGI #2 grease
- Extremely stable, designed for light duty applications
- Excellent water resistance
- Typical drop point: 350°F

Part Number	Container Size	Units per Case
SL3310	14 oz Cartridge	10
SL3311	14 oz Can	12
SL3315	35 lb Pail	1
SL3317	120 lb Keg	1

MOLY-GRAPH® EXTREME PRESSURE MULTI-PURPOSE LITHIUM GREASE

- Lithium based, NLGI #2 grease
- “Moly” and graphite help establish a fine micron plating on all working surfaces
- Maintains 40 lb Timken OK Load
- Typical drop point: 380°F

Part Number	Container Size	Units per Case
SL3141	14 oz Can	12
SL3144	3 – 3 oz Cartridges	6
SL3145	35 lb Pail	1
SL3146	7 lb Pail	4
SL3330	14 oz Cartridge	10



Sta-Lube® Sta-Plex™ Premium Red Grease is excellent for use in extreme pressure situations.



Use Sta-Lube® MolyGraph® Multi-Purpose Lithium Grease on u-joints, bushings and wheel bearings.

¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ³Not for retail sale, for use in manufacturing establishments only. ⁴For energized equipment use only. *This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

EQUIPMENT MAINTENANCE

Proper equipment maintenance performed during a scheduled interval or in an emergency situation, requires the right products at the right time. Rely on the broad line of products by CRC to get the job done!

CLEANERS/DEGREASERS

ELECTRONIC COMPONENT CLEANER

Precision Cleaner & Light Duty Degreaser

- Aggressively dissolves grease, dust, lint, dirt, oils, polar soils, and other contaminants from most non-plastic surfaces
- No flash or fire point
- High purity formula
- Fast evaporation, leaves no residue
- Removes flux and polar soils
- Chemically stable, non-conductive and non-corrosive
- Test on plastics

Part Number	Container Size	Units per Case
03200 ¹	16 oz Aerosol	12

LECTRA CLEAN® HEAVY DUTY ELECTRICAL PARTS DEGREASER

- Quickly and effectively removes grease, oil, dirt, grime, corrosion, sludge and other stubborn substances
- Increases operating efficiency of electric motors and equipment
- Fast evaporation and no residue
- Excellent alternative to 1,1,1-based cleaning products
- No flash or fire point
- High dielectric strength of 37,500 volts
- Non-corrosive, non-staining and non-conductive
- Contains no 1,1,1-Trichloroethane
- Contains no Class I or Class II Ozone Depleting Chemicals
- Use caution on plastics

Part Number	Container Size	Units per Case
02018 ¹	20 oz Aerosol	12
02020 ¹	1 Gallon Bottle	4
02021 ¹	5 Gallon Pail	1
02023 ¹	55 Gallon Drum	1

LECTRA CLEAN® II NON-CHLORINATED HEAVY DUTY DEGREASER

- Use where chlorinated solvents are not acceptable
- Effectively removes soils and cleans surfaces without residue build-up
- Use caution on plastics
- High flashpoint: 180°F
- Non-chlorinated, non-conductive and non-corrosive
- High dielectric strength of 42,100 volts
- Low odor compound, unlike citrus-based products
- Contains no chlorinated solvents
- Contains no Class I or Class II Ozone Depleting Chemicals
- Zero VOC formula

Part Number	Container Size	Units per Case
02120	20 oz Aerosol	12
02121	1 Gallon Bottle	4
02122	5 Gallon Pail	1
02124	55 Gallon Drum	1

ISOPROPYL ALCOHOL

Ultra Pure Cleaner

- High purity formula
- Evaporates rapidly leaving no residue
- Removes polar soils and other charged contaminants
- Chemically stable, non-conductive and non-corrosive
- Safe on most plastics

Part Number	Container Size	Units per Case
03201	16 oz Aerosol	12

GASKET REMOVER

- Solvent-based cleaner removes baked-on fiber gaskets, gasket adhesives and sealants
- Contains no methylene chloride
- Loosens carbon deposits
- Protects equipment surfaces by reducing the need for excessive scraping
- Excellent paint, varnish, and graffiti remover
- VOC Compliant

Part Number	Container Size	Units per Case
03017	16 oz Aerosol	12

BATTERY CLEANER

- Use to restore battery output and reduce voltage leakage due to contaminants
- Assures maximum battery current flow
- Neutralizes acid spills
- Promotes longer battery life

Part Number	Container Size	Units per Case
03176	12 oz Aerosol	12

CARB & CHOKE CLEANER

- Low VOC formula designed to maximize carburetor performance, improve fuel system performance and ensure maximum fuel economy
- Effectively dissolves deposits such as gum, sludge and varnish
- Will not harm oxygen sensors or catalytic converters
- Meets US EPA and California VOC requirements

Part Number	Container Size	Units per Case
03077*	16 oz Aerosol	12



¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ³Not for retail sale, for use in manufacturing establishments only. ⁴For energized equipment use only. *This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized. 360° spray valve – can be sprayed from any position.

Customer Service: (800) 272-4620 • Online MSDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified

EQUIPMENT MAINTENANCE

LUBRICANTS

3-36® MULTI-PURPOSE LUBRICANT AND CORROSION INHIBITOR

- Multi-purpose lubricant, penetrant and corrosion inhibitor
- Forms a clear, thin film that lubricates, prevents corrosion, displaces moisture and penetrates
- Penetrates through corrosion to loosen frozen parts
- Lubricates without leaving a sticky residue
- VOC Compliant

Part Number	Container Size	Units per Case
03004 [Ⓢ]	6 oz Aerosol	12
03005 [Ⓢ]	16 oz Aerosol	12
03006	1 Gallon Bottle	4
03007	16 oz Trigger Bottle	12
03009	5 Gallon Pail	1
03011	55 Gallon Drum	1

ULTRA-LITE 3-36®

- An ultra-thin, non-staining dry film lubricant that resists oil, dust and dirt build-up
- Penetrates into the most minute openings
- Displaces moisture – excellent for drying out electrical/electronic components
- Convenient 360° spray valve – can be sprayed from any position

Part Number	Container Size	Units per Case
03160 [Ⓢ]	16 oz Aerosol	12
03161	1 Gallon Bottle	4
03162	5 Gallon Pail	1
03163	55 Gallon Drum	1

POWER LUBE® HIGH-PERFORMANCE LUBRICANT

- High performance, multi-purpose lubricant with the benefits of PTFE
- Withstands extreme load carrying situations
- Displaces moisture and seals out corrosion
- Surpasses 4,500 lbs on Faxel Load Test (ASTM D-3233)

Part Number	Container Size	Units per Case
03045*	16 oz Aerosol	12

DRY MOLY LUBE

- Specially formulated dry film lubricant incorporating a concentrated dispersion of molybdenum disulfide (MoS₂)
- Lowers friction and prevents galling
- Helps to reduce torque and energy consumption
- High anti-friction and anti-seizure properties
- Lubricant resists high temperatures (up to 650°F), high pressure, water and chemical attack
- Non-conductive
- Harmless to most plastics, rubbers and metals

Part Number	Container Size	Units per Case
03084*	16 oz Aerosol	12

RED GREASE

- Heavy-duty, waterproof NLGI Grade 2 aluminum complex based grease
- Waterproof and resistant to acids, alkalis, salt, oxidation, weather and steam
- Extends the operating service life of equipment and reduce wear, galling and scoring
- Withstands high temperature (up to 500°F) and pressure (45 lb. Timken OK load)
- Red color provides easy visual inspection

Part Number	Container Size	Units per Case
03079*	16 oz Aerosol	12

WHITE LITHIUM GREASE

- High-purity, high-quality, NLGI Grade 2 white lithium-based aerosol grease
- Excellent as a break-in lubricant for machinery, tools and equipment
- Excellent heat and water resistance
- Contains rust and oxidation inhibitors for superior metal protection
- Protects with a tough, high viscosity film
- White color allows for easy visual inspection

Part Number	Container Size	Units per Case
03080*	16 oz Aerosol	12

HEAVY DUTY CLEAR PENETRATING GREASE

- High tack, clear lubricating gel provides superior lubrication; contains PTFE
- Resistant to acids, alkalis, salt, oxidation, weather and steam
- Extends the operating service life of equipment and reduces wear, galling and scarring
- Withstands high temperature (up to 500°F) and pressure
- Waterproof and prevents corrosion
- Penetrates to form a thick, long-lasting film

Part Number	Container Size	Units per Case
03056*	20 oz Aerosol	12

DI-ELECTRIC GREASE

- Unique, non-curing silicone compound used for electrical sealing, lubricating, protecting and insulating
- Waterproofs electrical connections and components to protect against arcing due to moisture and other contaminants
- Improves electrical performance during adverse conditions such as rain, fog, salt spray and temperature extremes
- Meets FDA Regulation 21 CFR 175.300 (release agent) and 21 CFR 178.3570 (lubricant, incidental food contact)
- Excellent lubricant for rubber and plastic parts
- Wide temperature range (-70°F to 400°F)

Part Number	Container Size	Units per Case
03082*	16 oz Aerosol	12



¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ³Not for retail sale, for use in manufacturing establishments only.
⁴For energized equipment use only. *This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.
[Ⓢ] 360° spray valve – can be sprayed from any position.

Customer Service: (800) 272-4620 • Online MSDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
 More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified

EQUIPMENT MAINTENANCE

CORROSION INHIBITORS

SP-400™ CORROSION INHIBITOR

- Long-term indoor/outdoor (up to 2 years outdoors) corrosion inhibitor for machined surfaces and assemblies subjected to long periods of storage or adverse shipping conditions
- Firm, waxy film is highly resistant to humidity and salt spray and never becomes brittle

Part Number	Container Size	Units per Case
03282*	16 oz Aerosol	12
03286	5 Gallon Pail	1
03288	55 Gallon Drum	1

BATTERY TERMINAL PROTECTOR

- Provides a soft, dry, lead-free protective coating that keeps moisture, salts and road grime from corroding metal contacts
- Enhances battery life and power by preventing corrosion-related leakage
- Soft, flexible film completely encapsulates exposed surfaces and will not become brittle, crack or peel
- Red color provides easy visual inspection of application
- Dries quickly and protects instantly
- Prevents hard starts and battery failure

Part Number	Container Size	Units per Case
03175*	12 oz Aerosol	12

SEAL COAT® URETHANE COATING

- Conformal polyurethane coating that insulates electrical equipment and seals out water and moisture
- Dries quickly to a hard, durable, flexible and non-conductive film
- High dielectric strength, high surface and volume resistance make it ideal for electrical/electronics applications
- Effective temperature range of -90°F to 250°F
- Abrasion resistant insulator for electrical and electronic equipment and components
- Available in Clear or Red formulations

Part Number	Container Size	Units per Case
18410*	Red 16 oz Aerosol	12
18411*	Clear 16 oz Aerosol	12

PARTS CLEANING SYSTEMS

SMARTWASHER® 41

- Has a large 8"H x 41"W x 24"D sink that removes for easy cleaning and a side mounted control panel

Part Number	Container Size	Units per Case
14144	1 Unit	1

SMARTWASHER® 28

- Has an 8"H x 28"W x 17"D sink that removes for easy cleaning and a side mounted control panel

Part Number	Container Size	Units per Case
14145	1 Unit	1

SMARTWASHER® MOBILE UNIT

- Has an 8"H x 27"W x 23"D sink that removes for easy cleaning, and a side mounted electronic control panel. Also has a built in dolly which allows for easy mobility

Part Number	Container Size	Units per Case
14161	1 Unit	1

INDUSTRIAL GRADE CLEANING SOLUTION

- Removes the toughest industrial soils with minimal odor

Part Number	Description	Container Size	Units per Case
14148	SMARTWASHER Industrial Grade Cleaning Solution	5 Gallon Jug	1



AUTOMOTIVE & INK GRADE CLEANING SOLUTION

- Removes printers ink and automotive carbon and varnishes

Part Number	Description	Container Size	Units per Case
14156	SMARTWASHER Automotive & Ink Grade Cleaning Solution	5 Gallon Jug	1

SPECIALTY METALS CLEANING SOLUTION

- Maximum strength, low odor formula removes soils from both ferrous and non-ferrous metals. Perfect for use on all aircraft metals

Part Number	Description	Container Size	Units per Case
14158	SMARTWASHER Metals Cleaning Solution	5 Gallon Jug	1

REGULAR GRADE FILTER

- Works with all grades of fluid

Part Number	Description	Container Size	Units per Case
14149	SMARTWASHER Regular Filters	1 Pack	6

PREMIUM GRADE FILTER

- Works with all fluids and contains 50% more microbes for maximum bioremediation

Part Number	Description	Container Size	Units per Case
14147	SMARTWASHER Premium Filters	1 Pack	6

MULTI-LAYER FILTER

- Three filters in one for heavy use applications. Simply peel back and remove each layer as it becomes clogged to reveal fresh layer. Extends working life of filter. Works with all grades of fluid

Part Number	Description	Container Size	Units per Case
14124	SMARTWASHER Multi-Layer Filters	1 Pack	6

¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ³Not for retail sale, for use in manufacturing establishments only. ⁴For energized equipment use only. *This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized. SmartWasher® is a registered trademark of ChemFree Corporation.

Customer Service: (800) 272-4620 • Online MSDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
 More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified

EQUIPMENT MAINTENANCE

TOOL & EQUIPMENT OILS

AIR TOOL OIL SAE 10

- Lubricates and protects pneumatic equipment
- Increases torque; assures long tool life
- Reduces rust, varnish, sludge and acids

Part Number	Container Size	Units per Case
SL2531	15 oz Bottle	12
SL2533	1 Gallon Bottle	4

HYDRAULIC & JACK OIL SAE 20

- Protects all parts in hydraulic jacks over a wide temperature range
- Prevents foaming, rust, oxidation, corrosion and seal swell

Part Number	Container Size	Units per Case
SL2621	15 oz Bottle	12
SL2552	1 Quart Bottle	12
SL2553	1 Gallon Bottle	4
SL2555	5 Gallon Pail	1

BAR & CHAIN LUBRICANT

- Reduces wear and friction
- Remains fluid in cold temperatures
- Performs well on equipment subjected to loads, water and high speeds

Part Number	Container Size	Units per Case
SL2612	1 Quart Bottle	12

METALWORKING & WELDING

WELDER'S ANTI-SPATTER SPRAY

- Prevents spatter from adhering to surrounding metal surfaces during welding
- Eliminates the need to chisel, grind or wire brush after welding
- Water-based formula allows easy clean-up without the use of solvent cleaners
- Does not contain silicone
- Contains no ODCs
- Rust inhibiting additive prevents flash rust on in-process and surrounding metal surfaces
- Non-hazardous decomposition
- Low odor

Part Number	Container Size	Units per Case
03083	16 oz Aerosol	12

TRUETAP® HD

- Designed as a heavy duty cutting fluid for use in severe applications
- Clings to the cutting tool throughout the operation
- Contains no 1,1,1-Trichloroethane
- Excellent for use on tough stainless steel and exotic metals
- Thick fluid clings to vertical surfaces
- Provides excellent finish and accurate threads

Part Number	Container Size	Units per Case
03400	16 oz Bottle	12
03403	55 Gallon Drum	1

TRUETAP® WAX STICK LUBRICANT

- Multi-purpose lubricant stick that effectively removes heat and lubricates
- Capable of withstanding extreme pressure
- Convenient stick is easy to use and mess-free
- Multi-purpose lubricant works on all metals
- Can be used as a replacement for cutting fluids and oils

Part Number	Container Size	Units per Case
03480	16 oz stick	10

ZINC-IT® INSTANT COLD GALVANIZE™

- Actively fights rust and corrosion with a film of 95% pure zinc
- Protects base metal even when scratched, abraded, or dented
- Fast-drying, dries to the touch in 15 minutes
- Excellent weldability
- Excellent touch-up for damaged galvanized coatings

Part Number	Container Size	Units per Case
18412*	16 oz Aerosol	12
18413	1 Gallon Can	1



¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ³Not for retail sale, for use in manufacturing establishments only. ⁴For energized equipment use only. *This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Service: (800) 272-4620 • Online MSDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified

EQUIPMENT MAINTENANCE

SEALANTS & ADHESIVES

RTV SILICONE ADHESIVE/ SEALANTS

- Clear** Forms a barely visible water-tight seal
White Designed for high moisture, indoor/outdoor applications
Blue Heavy duty industrial gasket sealant
Red High temperature, low odor, non-corrosive gasket sealant
Black High pressure low odor, non-corrosive gasket sealant
- Seal, bond, waterproof and protect
 - Cure at room temperature – no special curing methods required
 - The chemically stable formulations show little change in physical properties after exposure to rain, snow, temperature extremes and weathering

RTV SILICONE PRESSURIZED TUBES

- Revolutionary packaging that's a convenient alternative to caulking tubes
- Dispenses a uniform bead for consistent results
- Pressurized package keeps silicone fresh so it won't dry out
- Self-sealing plug – Simply pull out to re-use the product

Part Number	Container Size	Units per Case
14055	8 oz Pressurized Tube-Clear	12
14056	8 oz Pressurized Tube-White	12
14057	8 oz Pressurized Tube-Blue	12
14059	8 oz Pressurized Tube-Red	12
14072	8 oz Pressurized Tube-Black	12

RTV SILICONE CARTRIDGES

- Economical for large jobs
- Convenient screw-on nozzle
- Fast dispensing for applications that require less precision
- For use with CRC Caulk Gun (#14054)

Part Number	Container Size	Units per Case
14073	12 oz Cartridge-Clear	12
14074	12 oz Cartridge-White	12
14075	12 oz Cartridge-Red	12

FOAM MINIMAL EXPANSION AEROSOL SEALANT

- Polyurethane foam designed to fill, seal, bond, retrofit, insulate and deaden sound in and around cracks and cavities
- Forms a permanent, waterproof and airtight bond to masonry, wood, glass, metal & most plastics
- Stops drafts, dust, moisture, insects and rodents
- When cured, foam can be sanded, painted or stained
- The low expansion formula expands 50% when fully cured
- Cured foam insulates to R-5 for each inch of foam
- UL classified as a caulking sealant
- Foam and propellant are non-flammable
- Convenient 360° valve – can be sprayed from any position
- Reusable for up to 30 days after initial use

Part Number	Container Size	Units per Case
14077	16 oz Aerosol	12

MINUTE MEND™ EPOXY PUTTY

- Permanently repairs scratches, gouges and holes in drums, tanks, pipes, castings, molds, sinks, tubs and leaky gaskets
- Can be used in plumbing, electrical, ceramic, vehicle and machinery repair
- Specially formulated to bond to both wet and dry surfaces and can even be applied under water
- A two-part epoxy putty packaged in a convenient one piece stick
- Ready to use in less than one minute
- Can be tapped, sawed, drilled, machined, stained or painted

Part Number	Container Size	Units per Case
14070	4 oz Stick	24
14071	2 oz Stick	40



Repair leaky gaskets in minutes with CRC Minute Mend™ Epoxy Putty.

¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ³Not for retail sale, for use in manufacturing establishments only. ⁴For energized equipment use only. *This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized. 360° spray valve – can be sprayed from any position.

CRC Risk Reduction Partnership Plan™

Complex Issues Made Simple

Ensure the lowest overall ownership costs and achieve maximum performance benefits with the award winning Risk Reduction Partnership Plan™ by CRC. As experts in MRO maintenance chemicals, CRC and your preferred distributor will team up to improve the management of your MRO chemicals through a five-step process.



What is the purpose of R2P2™?

Identify issues that drive costs:

- Regulatory/Disposal
- Safety/Technical Support/Proper Handling
- Downtime/Low Productivity
- Inventory/Product Duplication/Storage
- Vendor Reduction/Consolidation/Local support

What is the value of R2P2™?

Lower costs and improve management of MRO chemicals:

- Minimize chemical ownership costs
- Achieve MSHA compliance
- Improve workforce safety
- Customize a chemical solution program

**View our
Risk Reduction
Video
On-line!**

Take advantage of our free service offer.

For program details call our Risk Reduction Department at 800-556-5074
or click on the Risk Reduction Partnership Plan™ icon on our website www.crcindustries.com/ei

VEHICLE MAINTENANCE

Whether you are maintaining a fleet of vehicles or pushing your heavy equipment to its limits, CRC's line of heavy duty vehicle maintenance products will help to minimize wear & tear and extend the service life of your vehicles.

CLEANERS & DEGREASERS

BRÄKLEEN® BRAKE PARTS CLEANER

- Quickly removes brake fluid, grease, oil and other contaminants from brake linings and pads
- Helps brakes last longer and perform more efficiently
- Non-flammable
- Cleans fast, dries fast, leaves no residue
- Degreases instantly
- Works without disassembly
- Not for use in CA and NJ

Part Number	Container Size	Units per Case
05089 ²	20 oz Aerosol	12
05089T ²	20 oz Aerosol w/ Trigger	12
05090 ²	1 Gallon Bottle	4
05091 ²	5 Gallon Pail	1
05093 ²	55 Gallon Drum	1

BRÄKLEEN® NON-CHLORINATED FORMULA BRAKE PARTS CLEANER

- Use where compliance calls for a chlorine-free product
- Quickly removes brake fluid, grease, oil and other contaminants from brake linings and pads
- Contains no chlorinated solvents
- Cleans fast, dries fast, leaves no residue
- Works without disassembly
- Low VOC formula

Part Number	Container Size	Units per Case
05084 ^{2*1}	20 oz Aerosol	12
05086 ^{2*1}	5 Gallon Pail	1

BRÄKLEEN® NON-CHLORINATED FORMULA BRAKE PARTS CLEANER

- Use where compliance calls for a chlorine-free product
- Quickly removes brake fluid, grease, oil and other contaminants from brake linings and pads
- Contains no chlorinated solvents
- Cleans fast, dries fast, leaves no residue
- Works without disassembly

Part Number	Container Size	Units per Case
05088 ^{2*}	20 oz Aerosol	12
05085 ^{2*}	1 Gallon Bottle	4
05186 ^{2*}	5 Gallon Pail	1
05087 ^{2*}	55 Gallon Drum	1

BRÄKLEEN® 50 STATE FORMULA BRAKE PARTS CLEANER

- Removes brake fluid, grease, oil and other contaminants quickly and effectively
- Non-chlorinated solvents
- Degreases instantly and leaves no residue
- Meets all state and federal VOC regulations
- Low VOC formula
- With Power Jet™ technology

Part Number	Container Size	Units per Case
05050*	20 oz Aerosol	12
05051*	1 Gallon Bottle	4
05052*	5 Gallon Pail	1
05053*	55 Gallon Drum	1

BRÄKLEEN® ULTRA LOW-VOC NON-CHLORINATED FORMULA BRAKE PARTS CLEANER

- Cleans, dries fast, leaves no residue
- Instantly removes brake fluid, grease & oil
- Contains no chlorinated solvents
- Safe on most automobile plastics
- SCAQMD Rule #1171 compliant
- Ultra low VOC formula

Part Number	Container Size	Units per Case
05151*	20 oz Aerosol	12

LECTRA-MOTIVE® ELECTRIC PARTS CLEANER

- Provides fast, thorough cleaning for non-sensitive electrical equipment
- Dissolves grease, oil, dirt and wax
- Leaves no residue
- Non-flammable
- Zero VOC formula

Part Number	Container Size	Units per Case
05018 ⁴	20 oz Aerosol	12
05019 ⁴	1 Gallon Bottle	4
05024 ⁴	55 Gallon Drum	1



CRC Brakeleen® degreases instantly and removes brake fluid, grease & oil.



¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ³Not for retail sale, for use in manufacturing establishments only. ⁴For energized equipment use only. *This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Service: (800) 272-4620 • Online MSDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified

VEHICLE MAINTENANCE

CLEAN-R-CARB™ CARBURETOR CLEANER

- Instantly dissolves deposits on venturines, linkages, butterflies and PCV systems
- Improves fuel system performance
- Harmless to catalytic converters and oxygen sensors
- Low VOC formula – 05379 and 05381

Part Number	Container Size	Units per Case
05081* ²	20 oz Aerosol	12
05379*	16 oz Aerosol	12
05381*	20 oz Aerosol	12

BATTERY CLEANER WITH ACID INDICATOR

- Detects leaks and neutralizes acids
- Spray on, rinse off
- Cleans terminals, cases and cables
- Non-flammable

Part Number	Container Size	Units per Case
05023	12 oz Aerosol	12

HYDROFORCE® SUPER CITRUS™ HEAVY DUTY DEGREASER

- Naturally formulated, aqueous degreaser dissolves grease, oil, ink, tar, asphalt and many other industrial residues
- For solvent strength degreasing
- Non-flammable
- Safe on most plastics
- Wipes off easily and leaves no residue
- Pleasant citrus scent
- Biodegradable (aerosol)

Part Number	Container Size	Units per Case
14440	20 oz Aerosol	12
14441	1 Gallon Bottle	4
14442	5 Gallon Pail	1
14443	55 Gallon Drum	1

HYDROFORCE® GLASS CLEANER

Professional Strength

- Ammonia-fortified aqueous based formula contains a foaming agent for greater coverage and less run-off
- For professional strength, streak-free glass cleaning
- Ready to use
- Non-abrasive foaming action
- Non-flammable, non-ozone depleting
- Biodegradable

Part Number	Container Size	Units per Case
14412	20 oz Aerosol	12
14411	32 oz Trigger Spray Bottle	12
14413	1 Gallon Bottle	4
14427	55 Gallon Drum	1

GREEN FORCE® GLASS & SURFACE CLEANER



- Effectively cuts greasy films and soils leaving surfaces sparkling clean
- US EPA Design for Environment (DfE) recognized
- Biodegradable and concentrated
- Low VOC content
- Professional strength
- Non-ammoniated
- Non-abrasive
- Non-flammable

Part Number	Container Size	Units per Case
14460	32 oz Spray Bottle (RTU)	12
14461	1 Gallon Bottle	4

GLASS & SURFACE WIPES

- Lint-free wipe eliminates messy overspray and is safe to use on most surfaces
- Easily removes smoke film, fingerprints, smudges, dirt and more without leaving streaks or residue
- Withstands the demands of institutional, janitorial, automotive, and industrial applications
- Quick and easy to use
- Streak free formula
- Ammonia free
- Safe for use on tinted windows, safety glasses and fine lenses
- VOC compliant

Part Number	Towel Size	Towels per Container	Containers per Case
04102	6" x 8"	50	6

HYDROFORCE® INDUSTRIAL STRENGTH DEGREASER

- Aqueous degreaser with the power of a solvent
- Non-flammable
- Safe on most plastics
- Concentrated, non-abrasive
- Low foaming – perfect for hand-held pressure washers & industrial high pressure parts washers
- Perfect for machinery, motors, concrete and non-porous surfaces
- Use caution on soft metals and painted surfaces

Part Number	Container Size	Units per Case
14414	20 oz Aerosol	12
14415	32 oz Trigger Spray Bottle	12
14416	1 Gallon Bottle	4
14417	5 Gallon Pail	1
14418	55 Gallon Drum	1
14420	275 Gallon Tote	1



¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ³Not for retail sale, for use in manufacturing establishments only. ⁴For energized equipment use only. *This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Service: (800) 272-4620 • Online MSDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified

VEHICLE MAINTENANCE

FUEL ADDITIVES

FUEL INJECTOR & CARBURETOR CLEANER

- Removes deposits from injectors, carburetor and intake system
- With regular use, eliminates hard starts, rough idling, dieseling and excessive emissions
- Reduces engine demand for high octane fuel
- Harmless to catalytic converters and oxygen sensors

Part Number	Container Size	Units per Case
05061	12 oz Bottle	12

DIESEL FUEL THERAPY® DIESEL INJECTOR CLEANER PLUS

- Reliquifies gelled fuel
- Lubricates upper cylinders
- Reduces emission and smoke
- Dissolves varnish and gum accumulation
- Improves fuel economy
- Disperses water
- Contains no harmful alcohol
- Complies with ULSD fuel requirements
- OK for biodiesel

Part Number	Container Size	Units per Case
05212	12 oz Bottle	12
05232	1 Quart Bottle	12
05228	1 Gallon Bottle	4
05225	5 Gallon Pail	1

DIESEL FUEL THERAPY® DIESEL INJECTOR CLEANER WITH ANTI-GEL

- Lowers cold filter plug point by as much as 31°F
- Cleans injectors
- Reliquifies gelled diesel fuel
- Lubricates upper cylinders
- Disperses water
- Contains no harmful alcohol
- Complies with ULSD fuel requirements
- OK for biodiesel

Part Number	Container Size	Units per Case
05412	12 oz Bottle	12
05432	1 Quart Bottle	12
05428	1 Gallon Bottle	4
05425	5 Gallon Pail	1
05455	55 Gallon Drum	1

DIESEL DRY™ DIESEL WATER REMOVER

- Dissipates water to minimize smoke and improve fuel economy
- Prevents corrosion and harmful sludge sediment
- Keeps injectors clean
- Complies with ULSD fuel requirements
- OK for biodiesel

Part Number	Container Size	Units per Case
05670	12 oz Bottle	12

BIO-CON™ SLUDGE SEDIMENT REMOVER

- Keeps injectors clean
- Removes sludge and sediment from diesel fuel & furnace oils
- Absorbs and disperses moisture
- Improves storage stability of fuel

Part Number	Container Size	Units per Case
05557	12 oz Bottle	12
05558	5 Gallon Pail	1

GUARANTEED TO PASS® DIESEL

Complete Fuel System Cleaner

- Up to 50% improvement in injector air flow
- Reduces smoke by up to 50%
- Use only 3 times a year – not with every fill up
- Super cleans injectors and entire fuel system
- OK for biodiesel

Part Number	Container Size	Units per Case
05832	1 Quart Bottle	12

PHASEGUARD® ETHANOL FUEL TREATMENT

- Prevents phase separation
- Maximum protection against corrosion
- Improves fuel economy and stabilizes fuel up to one year
- Cleans entire fuel system
- 1 ounce treats 10 gallons of gasoline
- For all gas powered 2- and 4-cycle engines

Part Number	Container Size	Units per Case
06141	8 oz Bottle	12
06142	16 oz Bottle	12
06143	32 oz Bottle	6



¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ³Not for retail sale, for use in manufacturing establishments only. ⁴For energized equipment use only. *This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Service: (800) 272-4620 • Online MSDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
 More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified

VEHICLE MAINTENANCE

CORROSION INHIBITORS

BATTERY TERMINAL PROTECTOR

- Provides a soft, dry, lead-free protective coating that keeps moisture, salts and road grime from corroding metal contacts
- Enhances battery life and power by preventing corrosion-related leakage
- Soft, flexible film completely encapsulates exposed surfaces and will not become brittle, crack or peel
- Red color provides easy visual inspection of application
- Dries quickly and protects instantly
- Prevents hard starts and battery failure

Part Number	Container Size	Units per Case
05046*	12 oz Aerosol	12

SALT TERMINATOR® ENGINE FLUSH, CLEANER & CORROSION INHIBITOR

- Cleans & protects anything exposed to salt (saltwater, salt air, road salt)
- Dissolves salt & leaves a protective coating to inhibit corrosion
- Non-flammable, no flash point, minimal odor

Part Number	Container Size	Units per Case
SX10	12 oz Trigger Bottle	12
SX128	1 Gallon Bottle	4
SX32	32 oz Bottle	7
SX32M	32 oz Bottle w/Mixer	6
SXMXR	Salt Terminator Mixer Unit	12

RUST CONVERTER

- Neutralizes rust and converts it to a tough, black primer in one easy step
- Applications include vehicles, trailers, railings, bridges, equipment, storage tanks, transmission towers, etc.
- No more scraping or sandblasting
- Instantly stops rust
- Converts rust to a tough black primer
- Protects surfaces for years

Part Number	Container Size	Units per Case
18418	1 Quart Bottle	12
18419	1 Gallon Bottle	4

RUST REMOVER

- Safe, effective, fast-acting formula removes rust, not metal
- Leaves metal clean and ready to paint, plate or powder coat
- No heavy wire brushing or sand blasting required
- Removes rust quickly
- Uses Acid Safe Technology
- Non-corrosive, non-flammable
- Zero VOC
- No heavy fumes or bad odors
- Packing Group III for shipping

Part Number	Container Size	Units per Case
18420	1 Quart Bottle	12
18421	1 Gallon Bottle	4

WINTER PRODUCTS

JUMP START® STARTING FLUID W/ LUBRICITY

- Assures fast, economical starts in extremely cold or humid climates
- Upper cylinder lubricant minimizes wear during cold starts
- Effective to -65°F
- For diesel and gasoline engines
- Complies with ULSD fuel requirements

Part Number	Container Size	Units per Case
05671*	16 oz Aerosol	12

QUICK FLOW™ EMERGENCY DIESEL-GEL RELIEF

- Instantly works to dissolve gelled fuel
- Thaws frozen fuel filters
- Lowers pour point by as much as 35°F
- Complies with ULSD fuel requirements
- OK for biodiesel

Part Number	Container Size	Units per Case
05911	1 Quart Bottle	12
05928	1 Gallon Bottle	4
05925	5 Gallon Pail	1
05955	55 Gallon Drum	1



CRC Rust Converter instantly stops rust and protects metal surfaces for years.

¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ³Not for retail sale, for use in manufacturing establishments only. ⁴For energized equipment use only. *This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Service: (800) 272-4620 • Online MSDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
 More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified

VEHICLE MAINTENANCE

COLD FLOW™ ANTI-GEL W/ LUBRICITY

- Prevents fuel gelling and waxing
- Contains lubricity additive for low sulfur fuels
- Formulated for cold weather use in all diesel equipment
- Complies with ULSD fuel requirements
- OK for biodiesel

Part Number	Container Size	Units per Case
05612	12 oz Bottle	12
05632	1 Quart Bottle	12
05625	5 Gallon Pail	1
05655	55 Gallon Drum	1

CRC FOR GAS TANKS ISOPROPANOL FORMULA

- Removes water from gasoline
- Protects up to -50°F
- Inhibits rust in gas tank
- Prevents fuel line freezing

Part Number	Container Size	Units per Case
05343	12 oz Bottle	12

AIR BRAKE ANTI-FREEZE & CONDITIONER

- Provides complete winter protection for air brake systems
- Eliminates and prevents moisture accumulation and icing
- Prevents damage to air brake seals
- Anti-freeze and anti-rust

Part Number	Container Size	Units per Case
05532	32 oz Bottle	12
05528	1 Gallon Bottle	4
05555	55 Gallon Drum	1



CRC Diesel™ Cold Flow™ Anti-Gel with Lubricity prevents fuel gelling & waxing and is formulated for cold weather use in all diesel equipment.

ICE-OFF® WINDSHIELD SPRAY DE-ICER

- Melts ice, snow and frost on contact
- Harmless to car finish
- Thaws frozen locks
- Effective to sub-zero temperatures

Part Number	Container Size	Units per Case
05346	16 oz Aerosol	12

STOR-X® FUEL STABILIZER

- Stabilizes fuel by inhibiting formation of varnishes, peroxides and gum
- Preserves gasoline and diesel fuel for up to 1 year
- Treats up to 20 gallons
- Does not contribute to induction system deposits
- OK for biodiesel

Part Number	Container Size	Units per Case
402815	8 oz Bottle	12



¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ³Not for retail sale, for use in manufacturing establishments only. ⁴For energized equipment use only. *This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Service: (800) 272-4620 • Online MSDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified

WORKER PERSONAL SAFETY

Keep workers safe, productive and on the job by minimizing their health risks with CRC hand cleaners, insecticides and sun protection.

INSECT MANAGEMENT

WASP & HORNET KILLER PLUS™ INSECTICIDE

- Knocks down and kills wasps, hornets, fire ants, scorpions and black widow spiders
- Contains no chlorinated solvents
- Plastic-safe – will not damage plastic connectors and other insulating materials
- CRC trigger provides a dense, accurate spray that will reach over 20 feet to drench harmful insects and their nests
- The only wasp and hornet killer in the industry to offer a M.S.D. [L.]™, a current MSDS printed on the reverse side of the product label
- High dielectric strength of 47,600 volts
- Extension tube doubles as a locking mechanism

Part Number	Container Size	Units per Case
14010	20 oz Aerosol w/ Trigger	12

BEE BLAST® WITH RESIDUAL WASP & HORNET KILLER

- Fast-acting, high strength insecticide that instantly soaks harmful insects and their nests
- Contains no chlorinated solvents and is safe to use on all plastics
- High output 22' jet blast
- Kills wasps, hornets, yellow jackets and bees on contact
- Materials Safety Data Label (MSD[L]™) right on the can – a CRC exclusive
- High dielectric strength of 53,000 volts
- Kills with residual action as wasps and hornets return to nests

Part Number	Container Size	Units per Case
14009	20 oz Aerosol	12

INSECT REPELLENT

- High strength formula repels mosquitoes, gnats, chiggers, fleas, ticks, biting flies and other biting insects
- Protects outdoor workers by reducing the risk of contracting Lyme Disease from ticks when sprayed on exposed skin and clothing
- Convenient aerosol package
- Contains 25% active ingredient (DEET)
- The only insect repellent in the industry to offer a M.S.D. [L.]™, a current MSDS printed on the reverse side of the product label

Part Number	Container Size	Units per Case
14011	8 oz Aerosol	12

WIPES & TOWELS

HAND CLEANER TOWELS

- Absorbent, non-scratching abrasive hand cleaning towel
- Locks dirt, grease and grime into the towel and not on your hands
- Works fast to loosen, dissolve and absorb dirt and grease
- Deep cleaning scrubbers remove embedded grime easily
- Fortified with emollients for the skin
- Pre-moistened, no water required
- VOC compliant

Part Number	Towel Size	Towels per Container	Containers per Case
04100	10.5" x 12.25"	72	6

DISINFECTING WIPES

- Clean, disinfect and deodorize hard, non-porous surfaces
- Virucidal – Tuberculocidal – Bactericidal – Pseudomonacidal
- Effective against MRSA and Norwalk Virus
- Bleach and alcohol free
- Fresh lemon scent
- VOC compliant

Part Number	Towel Size	Towels per Container	Containers per Case
04101	6" x 10.5"	90	6

SUNSCREEN TOWEL

- Large, lint free towel remains open and retains its original size while applying to the face, neck and arms
- SPF 30+
- Water and sweat resistant
- Greaseless
- UVA/UVB protection
- Aminobenzoic acid (PABA)-free
- VOC compliant

Part Number	Towel Size	Towels per Container	Containers per Case
04105	8" x 10"	1	100



¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ³Not for retail sale, for use in manufacturing establishments only. ⁴For energized equipment use only. *This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Service: (800) 272-4620 • Online MSDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
 More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified

WORKER PERSONAL SAFETY

HAND CLEANERS

LANOLIN CREAM HAND CLEANER

- Gentle, odorless hand soap that removes grease, oil, ink, grime, paint, carbon stains, tar, pitch and other stubborn stains
- For use in industrial plants, farms, mines, construction sites and anywhere hands get dirty and soiled
- Can be used with or without water
- Quickly removes the toughest soils

Part Number	Container Size	Units per Case
SL1210	5 oz Tube	12
SL1211	14 oz Tub	12
SL1217	7 lb Can	6

LANOLIN PUMICE HAND CLEANER

- For use in industrial plants, farms, mines, construction sites and anywhere hands get dirty and soiled
- Extra-tough formula with buffing-grade pumice for deep cleaning power
- Removes embedded and stubborn grease, oil, printer's ink, tar, cement, paint and other tough stains
- Leaves hands feeling clean with lanolin and lemon scent
- Use with or without water
- Out cleans regular soaps

Part Number	Container Size	Units per Case
SL1621	14 oz Tub	12
SL1627	7 lb Can	6

MECHANIX ORANGE™ CITRUS LOTION HAND CLEANER WITH PUMICE

- Formulated with the natural cleaning power of citrus
- Fast, yet gentle hand cleaner is pH balanced
- Highly concentrated and very effective at cleaning the toughest soil, grime, ink, oil and paint
- Use with or without water
- Contains no harsh solvents
- Biodegradable formula
- Fortified with pumice for deep cleaning power
- Conditions skin to leave hands feeling clean and fresh
- Fresh citrus scent

Part Number	Container Size	Units per Case
SL1712	16 oz Bottle	12
SL1719	1 Gallon Bottle w/ Pump	4

HAND CLEANER TOWELS

- Absorbent, non-scratching abrasive hand cleaning towel
- Locks dirt, grease and grime into the towel and not on your hands
- Works fast to loosen, dissolve and absorb dirt and grease
- Deep cleaning scrubbers remove embedded grime easily
- Fortified with emollients for the skin
- Pre-moistened, no water required
- VOC compliant

Part Number	Towel Size	Towels per container	Containers per Case
04100	10.5" x 12.25"	72	6

DRI-KLEEN™ FOAMING WATERLESS HAND CLEANER

- Unique foaming waterless hand cleaner quickly removes dirt & grime
- Conditions skin and leaves hands soft and smooth
- Use anytime, anywhere – no water necessary

Part Number	Container Size	Units per Case
05506	8 oz Aerosol	12



CRC Sunscreen Towels are water and sweat resistant and protect with an SPF of 30+.

¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ³Not for retail sale, for use in manufacturing establishments only. ⁴For energized equipment use only. *This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Service: (800) 272-4620 • Online MSDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified



**ENVIRONMENTALLY
PREFERRED PRODUCTS**

HELPING TO GREEN THE WORKPLACE



- NO VOC OR LOW VOC CONTENT • NO HAZARDOUS AIR POLLUTANTS
- NO OZONE DEPLETING CHEMICALS • NO SARA REPORTABLE INGREDIENTS



Point.



Enter Here 

LEARN!

Get instant access to CRC Industries' product training library with just a *click* at www.crcindustries.com/ei. Our expert training is available online any time, at your own pace and at no charge.

Product Demos • Training Videos • E-Learning Modules



CRC Industries, Inc.

885 Louis Drive, Warminster, PA 18974 • Customer Service: 800-272-4620
Fax: 800-272-4560 • Technical Assistance: 800-521-3168 • www.crcindustries.com/ei