



FITTINGS UNLIMITED, INC.

Adapter & Fitting Specialist

www.fittingsunlimited.com

Price List

Prices subject to change without notice.

CORPORATE SALES

DALLAS, TX

3000 AVENUE F
ARLINGTON, TX 76011
(800) 348-8467 (817) 860-8517 FAX

CLEVELAND, OH

(800) 348-8467 (817) 860-8517 FAX

HOUSTON, TX

(800) 633-5340 (713) 672-8101 FAX

SALT LAKE CITY, UT

(800) 348-8467 (817) 860-8517 FAX

CANADA

CFA Industries - Fittings Unlimited, Inc.
40 Engelhard Drive, Unit 6
Aurora, Ontario L4G 6X6
(877) 644-4403 (905) 713-3927 FAX

TERMS - All invoices are 2%-10 Net 30 with approved credit. A 1½% finance charge will be assessed on all past due accounts. All accounts due and payable in Arlington, Tarrant County, Texas.

MINIMUM ORDER - \$25.00 per order

POR - Price On Request


RETURNS - Fittings may be returned only with authorization from FITTINGS UNLIMITED, INC. - subject to our inspection and must be shipped freight prepaid within 30 days of original shipment. A restocking fee of 20% or \$10.00, whichever is greater, will apply. In case of shipping errors, notification must be made within 30 days to receive an adjustment. Special fittings and made to order items are non-cancelable and not returnable without written consent of FITTINGS UNLIMITED, INC.

*Import O-Ring
Face Seal*

*“It is the policy of Fittings Unlimited, Inc.
to maintain and improve our customer satisfaction by
providing hydraulic and pneumatic fittings and
accessories that consistently meet our customer’s
specified product and delivery requirements.”*

IMPORT O-RING FACE SEAL

Styles may vary from picture



Y-OFS-0304-C
Cap Nut

Y-OFS-0304-C-04	2.05
Y-OFS-0304-C-06	2.70
Y-OFS-0304-C-08	3.40
Y-OFS-0304-C-10	4.65
Y-OFS-0304-C-12	6.05
Y-OFS-0304-C-16	8.45
Y-OFS-0304-C-20	12.05
Y-OFS-0304-C-24	18.15
Y-OFS-0304-C-32	61.20




Y-OFS-0306
Bulkhead Lock Nut

Y-OFS-0306-04	0.80
Y-OFS-0306-06	1.15
Y-OFS-0306-08	1.55
Y-OFS-0306-10	1.80
Y-OFS-0306-12	2.60
Y-OFS-0306-16	3.25
Y-OFS-0306-20	4.25
Y-OFS-0306-24	22.35




Y-OFS-0318
OFS Nut

Y-OFS-0318-04	1.45
Y-OFS-0318-06	1.60
Y-OFS-0318-08	1.70
Y-OFS-0318-10	2.40
Y-OFS-0318-12	3.25
Y-OFS-0318-16	4.95
Y-OFS-0318-20	8.25
Y-OFS-0318-24	12.75
Y-OFS-0318-32	56.00




Y-OFS-0319
OFS Braze Shoulder

Y-OFS-0319-10	1.50
Y-OFS-0319-12	2.60
Y-OFS-0319-16	3.75
Y-OFS-0319-20	6.10
Y-OFS-0319-24	9.75
Y-OFS-0319-32	29.40




Y-OFS-0403
(1) Bore for Brazing
(2) Male OFS

Y-OFS-0403-04-04	1.45
Y-OFS-0403-04-06	5.95
Y-OFS-0403-04-08	13.75
Y-OFS-0403-06-04	3.75
Y-OFS-0403-06-06	2.70
Y-OFS-0403-06-08	4.25
Y-OFS-0403-06-10	8.65
Y-OFS-0403-08-06	4.75
Y-OFS-0403-08-08	3.65
Y-OFS-0403-08-10	8.65
Y-OFS-0403-08-12	13.00
Y-OFS-0403-08-16	26.80
Y-OFS-0403-10-06	23.45
Y-OFS-0403-10-08	6.25
Y-OFS-0403-10-10	4.30
Y-OFS-0403-10-12	7.55
Y-OFS-0403-12-08	6.30
Y-OFS-0403-12-10	7.55
Y-OFS-0403-12-12	4.70
Y-OFS-0403-12-16	13.45
Y-OFS-0403-16-12	13.75
Y-OFS-0403-16-16	8.50
Y-OFS-0403-16-20	37.10
Y-OFS-0403-20-16	30.90
Y-OFS-0403-20-20	18.80
Y-OFS-0403-20-24	67.00
Y-OFS-0403-24-20	53.60
Y-OFS-0403-24-24	40.70




Y-OFS-1700-61 - Str.
(1) Male OFS
(2) O-Ring Flange
Code 61

Y-OFS-1700-61-12-12	28.00
Y-OFS-1700-61-16-16	39.55
Y-OFS-1700-61-20-20	47.55
Y-OFS-1700-61-24-24	69.55




Y-OFS-1700-62 - Str.
(1) Male OFS
(2) O-Ring Flange
Code 62

Y-OFS-1700-62-12-12	39.55
Y-OFS-1700-62-12-16	44.00
Y-OFS-1700-62-16-12	48.00
Y-OFS-1700-62-16-16	53.90
Y-OFS-1700-62-20-16	60.90
Y-OFS-1700-62-20-20	66.20
Y-OFS-1700-62-24-24	105.80



Y-OFS-1703-F-61 - 45°
(1) Male OFS
(2) O-Ring Flange
Code 61

Y-OFS-1703-F-61-12-12	40.45
Y-OFS-1703-F-61-16-16	55.90
Y-OFS-1703-F-61-20-20	70.65
Y-OFS-1703-F-61-24-24	116.55




Y-OFS-1703-F-62 - 45°
(1) Male OFS
(2) O-Ring Flange
Code 62

Y-OFS-1703-F-62-12-12	41.45
Y-OFS-1703-F-62-16-16	58.10
Y-OFS-1703-F-62-20-20	73.80
Y-OFS-1703-F-62-24-24	119.45

IMPORT O-RING FACE SEAL


Styles may vary from picture



Y-OFS-1704-F-61 - 90°

(1) Male OFS
(2) O-Ring Flange
Code 61


Y-OFS-1704-F-61-12-12	49.90
Y-OFS-1704-F-61-16-16	64.20
Y-OFS-1704-F-61-20-20	86.65
Y-OFS-1704-F-61-24-24	149.90



Y-OFS-1704-F-62 - 90°

(1) Male OFS
(2) O-Ring Flange
Code 62


Y-OFS-1704-F-62-12-12	53.45
Y-OFS-1704-F-62-16-16	74.00
Y-OFS-1704-F-62-20-20	89.10
Y-OFS-1704-F-62-24-24	143.35



Y-OFS-2403 - Str.

(1) (2) Male OFS Union


Y-OFS-2403-04-04	2.10
Y-OFS-2403-06-04	2.55
Y-OFS-2403-06-06	2.70
Y-OFS-2403-08-06	4.00
Y-OFS-2403-08-08	3.70
Y-OFS-2403-10-08	5.20
Y-OFS-2403-10-10	5.10
Y-OFS-2403-12-08	9.95
Y-OFS-2403-12-10	7.05
Y-OFS-2403-12-12	6.50
Y-OFS-2403-16-08	37.50
Y-OFS-2403-16-12	11.15
Y-OFS-2403-16-16	10.50
Y-OFS-2403-20-16	17.00
Y-OFS-2403-20-20	14.75
Y-OFS-2403-24-20	38.75
Y-OFS-2403-24-24	27.40
Y-OFS-2403-32-32	100.55



Y-OFS-2404 - Str.

(1) Male OFS
(2) Male Pipe

Y-OFS-2404-04-02	2.30
Y-OFS-2404-04-04	2.30
Y-OFS-2404-04-06	3.00
Y-OFS-2404-04-08	4.85
Y-OFS-2404-06-02	3.30
Y-OFS-2404-06-04	2.60
Y-OFS-2404-06-06	2.65
Y-OFS-2404-06-08	3.80
Y-OFS-2404-08-04	3.35
Y-OFS-2404-08-06	3.25
Y-OFS-2404-08-08	3.70
Y-OFS-2404-08-12	5.50
Y-OFS-2404-08-16	13.70
Y-OFS-2404-10-08	5.00
Y-OFS-2404-10-12	6.10
Y-OFS-2404-10-16	16.50
Y-OFS-2404-12-08	6.10
Y-OFS-2404-12-12	6.40
Y-OFS-2404-12-16	10.20
Y-OFS-2404-16-12	11.45
Y-OFS-2404-16-16	9.40
Y-OFS-2404-16-20	19.00
Y-OFS-2404-20-16	15.90
Y-OFS-2404-20-20	14.25
Y-OFS-2404-24-24	27.10




Y-OFS-2406 - Str.

Reducer

(1) Fem. OFS
(2) Male OFS

Y-OFS-2406-04-06	17.10
Y-OFS-2406-04-08	18.35
Y-OFS-2406-06-04	4.80
Y-OFS-2406-06-08	17.45
Y-OFS-2406-08-04	6.50
Y-OFS-2406-08-06	6.25
Y-OFS-2406-08-12	25.95
Y-OFS-2406-10-04	9.95
Y-OFS-2406-10-06	11.65
Y-OFS-2406-10-08	9.10
Y-OFS-2406-10-12	28.80
Y-OFS-2406-12-04	12.90
Y-OFS-2406-12-06	9.55
Y-OFS-2406-12-08	9.60
Y-OFS-2406-12-10	11.25
Y-OFS-2406-12-16	32.35

Y-OFS-2406-16-08	16.35
Y-OFS-2406-16-10	25.75
Y-OFS-2406-16-12	14.85
Y-OFS-2406-16-20	39.35
Y-OFS-2406-20-12	32.80
Y-OFS-2406-20-16	27.40
Y-OFS-2406-20-24	42.85
Y-OFS-2406-24-16	56.40
Y-OFS-2406-24-20	57.20




Y-OFS-2406-BLK- Str.

BLANK

(1) Fem. OFS
(2) Male OFS

Y-OFS-2406-BLK-04-04	23.65
Y-OFS-2406-BLK-06-06	28.65
Y-OFS-2406-BLK-08-08	34.00




Y-OFS-2407 - Str.

Reducer Less Nut

(1) Fem. OFS
(2) Male OFS

Y-OFS-2407-08-04	9.90
Y-OFS-2407-08-06	6.00
Y-OFS-2407-10-04	13.80
Y-OFS-2407-10-06	13.80
Y-OFS-2407-10-08	11.50
Y-OFS-2407-12-04	14.40
Y-OFS-2407-12-06	14.00
Y-OFS-2407-12-08	14.00
Y-OFS-2407-16-08	17.60
Y-OFS-2407-16-10	23.50
Y-OFS-2407-20-12	28.20
Y-OFS-2407-24-16	35.10
Y-OFS-2407-24-20	35.10
Y-OFS-2407-32-20	97.45
Y-OFS-2407-32-24	97.45




Y-OFS-2408

(1) Male OFS Plug

Y-OFS-2408-04	1.65
Y-OFS-2408-06	1.85
Y-OFS-2408-08	2.20
Y-OFS-2408-10	3.10
Y-OFS-2408-12	4.40
Y-OFS-2408-16	6.70
Y-OFS-2408-20	9.80
Y-OFS-2408-24	18.10


IMPORT O-RING FACE SEAL

Styles may vary from picture




Y-OFS-2500-F - 90°
(1) (2) Male OFS Union

Y-OFS-2500-F-04-04	4.05
Y-OFS-2500-F-06-04	6.45
Y-OFS-2500-F-06-06	5.85
Y-OFS-2500-F-08-08	6.20
Y-OFS-2500-F-10-10	8.85
Y-OFS-2500-F-12-12	13.45
Y-OFS-2500-F-16-16	18.85
Y-OFS-2500-F-20-20	28.00
Y-OFS-2500-F-24-24	51.45
Y-OFS-2500-F-32-32	172.75




Y-OFS-2501-F - 90°
(1) Male OFS
(2) Male Pipe

Y-OFS-2501-F-04-02	3.95
Y-OFS-2501-F-04-04	4.25
Y-OFS-2501-F-04-06	5.40
Y-OFS-2501-F-04-08	7.05
Y-OFS-2501-F-06-02	19.20
Y-OFS-2501-F-06-04	5.10
Y-OFS-2501-F-06-06	5.50
Y-OFS-2501-F-06-08	7.05
Y-OFS-2501-F-08-04	5.60
Y-OFS-2501-F-08-06	5.75
Y-OFS-2501-F-08-08	6.75
Y-OFS-2501-F-08-12	9.15
Y-OFS-2501-F-10-08	9.40
Y-OFS-2501-F-10-12	10.00
Y-OFS-2501-F-10-16	17.25
Y-OFS-2501-F-12-08	12.45
Y-OFS-2501-F-12-12	12.45
Y-OFS-2501-F-12-16	15.75
Y-OFS-2501-F-16-12	17.90
Y-OFS-2501-F-16-16	18.35
Y-OFS-2501-F-20-16	24.75
Y-OFS-2501-F-20-20	27.75
Y-OFS-2501-F-24-20	137.00
Y-OFS-2501-F-24-24	46.95




Y-OFS-2503-F - 45°
(1) Male OFS
(2) Male Pipe

Y-OFS-2503-F-04-02	3.85
Y-OFS-2503-F-04-04	4.15
Y-OFS-2503-F-06-04	4.90
Y-OFS-2503-F-06-06	5.60
Y-OFS-2503-F-08-06	6.45
Y-OFS-2503-F-08-08	6.85
Y-OFS-2503-F-10-08	9.10
Y-OFS-2503-F-12-12	10.85
Y-OFS-2503-F-16-16	16.30
Y-OFS-2503-F-20-20	25.50
Y-OFS-2503-F-24-24	239.00



Y-OFS-2601-F - Tee
(1) (2) Male OFS
(3) Male Pipe


Y-OFS-2601-F-04-04-02	25.35
Y-OFS-2601-F-04-04-04	7.30
Y-OFS-2601-F-06-06-04	9.60
Y-OFS-2601-F-06-06-06	9.60
Y-OFS-2601-F-08-08-06	11.25
Y-OFS-2601-F-08-08-08	12.30
Y-OFS-2601-F-12-12-12	23.35
Y-OFS-2601-F-16-16-16	30.75
Y-OFS-2601-F-20-20-20	59.60



Y-OFS-2603-F - Tee
(1) (2) (3) Male OFS Union


Y-OFS-2603-F-04-04-04	6.80
Y-OFS-2603-F-06-06-06	9.05
Y-OFS-2603-F-06-06-08	12.80
Y-OFS-2603-F-06-08-08	12.80
Y-OFS-2603-F-08-06-08	12.80
Y-OFS-2603-F-08-08-06	12.95
Y-OFS-2603-F-08-08-08	9.85
Y-OFS-2603-F-08-08-10	19.75
Y-OFS-2603-F-10-10-10	14.45
Y-OFS-2603-F-10-10-12	27.80
Y-OFS-2603-F-12-12-04	28.15
Y-OFS-2603-F-12-12-06	29.55
Y-OFS-2603-F-12-12-08	28.45

Y-OFS-2603-F-12-12-12	21.30
Y-OFS-2603-F-12-12-16	44.90
Y-OFS-2603-F-16-16-12	43.10
Y-OFS-2603-F-16-16-16	27.90
Y-OFS-2603-F-20-20-16	48.50
Y-OFS-2603-F-20-20-20	47.90
Y-OFS-2603-F-24-24-24	74.40




Y-OFS-2605-F - Tee
(1) (3) Male OFS
(2) Male Pipe

Y-OFS-2605-F-04-04-04	11.65
Y-OFS-2605-F-06-04-06	11.50
Y-OFS-2605-F-06-06-06	12.00
Y-OFS-2605-F-08-08-08	20.50



Y-OFS-2650-F - Cross
(1) (2) (3) (4) Male OFS Union

Y-OFS-2650-F-04-04-04-04	12.65
Y-OFS-2650-F-06-06-06-06	16.90
Y-OFS-2650-F-08-08-08-08	19.50
Y-OFS-2650-F-10-10-10-10	33.35
Y-OFS-2650-F-12-12-12-12	39.30
Y-OFS-2650-F-16-16-16-16	72.55
Y-OFS-2650-F-20-20-20-20	92.60
Y-OFS-2650-F-24-24-24-24	136.00




Y-OFS-2700 - Str.
(1) Male OFS
(2) OFS Bulkhead

Y-OFS-2700-04-04	3.30
Y-OFS-2700-06-06	4.10
Y-OFS-2700-06-08	9.65
Y-OFS-2700-08-06	9.65
Y-OFS-2700-08-08	6.80
Y-OFS-2700-10-10	9.80
Y-OFS-2700-12-12	11.20
Y-OFS-2700-16-16	16.45
Y-OFS-2700-20-20	22.90
Y-OFS-2700-24-24	54.15


IMPORT O-RING FACE SEAL

Styles may vary from picture




Y-OFS-2700-LN - Str.
 (1) Male OFS
 (2) OFS Bulkhead with Locknut

Y-OFS-2700-LN-04-04	5.05
Y-OFS-2700-LN-06-06	5.80
Y-OFS-2700-LN-06-08	16.30
Y-OFS-2700-LN-08-06	16.30
Y-OFS-2700-LN-08-08	7.55
Y-OFS-2700-LN-10-10	14.70
Y-OFS-2700-LN-12-12	14.05
Y-OFS-2700-LN-16-16	19.90
Y-OFS-2700-LN-20-20	43.35
Y-OFS-2700-LN-24-24	79.85




Y-OFS-2701-F - 90°
 (1) Male OFS
 (2) OFS Bulkhead

Y-OFS-2701-F-04-04	5.80
Y-OFS-2701-F-06-06	7.00
Y-OFS-2701-F-06-08	11.00
Y-OFS-2701-F-08-06	11.00
Y-OFS-2701-F-08-08	8.25
Y-OFS-2701-F-08-10	17.70
Y-OFS-2701-F-10-10	12.15
Y-OFS-2701-F-12-12	16.80
Y-OFS-2701-F-16-16	21.70
Y-OFS-2701-F-20-20	32.60
Y-OFS-2701-F-24-24	91.15




Y-OFS-2701-F-LN - 90°
 (1) Male OFS
 (2) OFS Bulkhead with Locknut

Y-OFS-2701-F-LN-04-04	6.90
Y-OFS-2701-F-LN-06-06	8.65
Y-OFS-2701-F-LN-08-08	11.10
Y-OFS-2701-F-LN-10-10	14.45
Y-OFS-2701-F-LN-12-12	19.70
Y-OFS-2701-F-LN-16-16	25.45
Y-OFS-2701-F-LN-20-20	44.45
Y-OFS-2701-F-LN-24-24	114.00




Y-OFS-2702-F - 45°
 (1) Male OFS
 (2) OFS Bulkhead

Y-OFS-2702-F-04-04	6.10
Y-OFS-2702-F-06-06	8.10
Y-OFS-2702-F-08-08	9.30
Y-OFS-2702-F-10-08	13.30
Y-OFS-2702-F-10-10	11.45
Y-OFS-2702-F-12-12	15.40
Y-OFS-2702-F-16-16	24.15
Y-OFS-2702-F-20-20	48.05
Y-OFS-2702-F-24-24	117.65




Y-OFS-2702-F-LN - 45°
 (1) Male OFS
 (2) OFS Bulkhead with Locknut

Y-OFS-2702-F-LN-04-04	7.40
Y-OFS-2702-F-LN-06-06	9.75
Y-OFS-2702-F-LN-08-08	11.35
Y-OFS-2702-F-LN-10-10	13.75
Y-OFS-2702-F-LN-12-12	18.50
Y-OFS-2702-F-LN-16-16	27.90
Y-OFS-2702-F-LN-20-20	80.25
Y-OFS-2702-F-LN-24-24	140.50




Y-OFS-2703-F - Tee
 (1) (2) Male OFS
 (3) OFS Bulkhead

Y-OFS-2703-F-04-04-04	8.30
Y-OFS-2703-F-06-06-06	11.30
Y-OFS-2703-F-08-08-08	12.80
Y-OFS-2703-F-10-10-10	19.50
Y-OFS-2703-F-12-12-12	26.95
Y-OFS-2703-F-16-16-16	35.55
Y-OFS-2703-F-20-20-20	64.50
Y-OFS-2703-F-24-24-24	115.85




Y-OFS-2703-F-LN - Tee
 (1) (2) Male OFS
 (3) OFS Bulkhead with Locknut

Y-OFS-2703-F-LN-04-04-04	10.65
Y-OFS-2703-F-LN-06-06-06	15.65
Y-OFS-2703-F-LN-08-08-08	16.60
Y-OFS-2703-F-LN-10-10-10	24.60
Y-OFS-2703-F-LN-12-12-12	33.20
Y-OFS-2703-F-LN-16-16-16	54.35
Y-OFS-2703-F-LN-20-20-20	74.65
Y-OFS-2703-F-LN-24-24-24	138.70



Y-OFS-2704-F - Tee
 (1) (3) Male OFS
 (2) OFS Bulkhead

Y-OFS-2704-F-04-04-04	8.30
Y-OFS-2704-F-06-06-06	11.30
Y-OFS-2704-F-08-08-08	12.80
Y-OFS-2704-F-10-10-10	19.50
Y-OFS-2704-F-12-12-12	26.95
Y-OFS-2704-F-16-16-16	35.55
Y-OFS-2704-F-20-20-20	64.50
Y-OFS-2704-F-24-24-24	115.85




Y-OFS-2704-F-LN - Tee
 (1) (3) Male OFS
 (2) OFS Bulkhead with Locknut

Y-OFS-2704-F-LN-04-04-04	10.65
Y-OFS-2704-F-LN-06-06-06	15.65
Y-OFS-2704-F-LN-08-08-08	16.60
Y-OFS-2704-F-LN-10-10-10	24.60
Y-OFS-2704-F-LN-12-12-12	33.20
Y-OFS-2704-F-LN-16-16-16	54.35
Y-OFS-2704-F-LN-20-20-20	74.65
Y-OFS-2704-F-LN-24-24-24	138.70

IMPORT O-RING FACE SEAL


Styles may vary from picture



Y-OFS-6400-O - Str.

(1) Male OFS
(2) Male O-Ring


Y-OFS-6400-04-03-O	6.85
Y-OFS-6400-04-04-O	2.00
Y-OFS-6400-04-05-O	4.25
Y-OFS-6400-04-06-O	2.40
Y-OFS-6400-04-08-O	3.80
Y-OFS-6400-04-10-O	4.45
Y-OFS-6400-06-04-O	2.75
Y-OFS-6400-06-05-O	6.90
Y-OFS-6400-06-06-O	2.50
Y-OFS-6400-06-08-O	3.50
Y-OFS-6400-06-10-O	4.70
Y-OFS-6400-06-12-O	7.45
Y-OFS-6400-06-16-O	28.85
Y-OFS-6400-08-04-O	9.50
Y-OFS-6400-08-06-O	3.40
Y-OFS-6400-08-08-O	3.35
Y-OFS-6400-08-10-O	4.35
Y-OFS-6400-08-12-O	6.45
Y-OFS-6400-08-16-O	10.10
Y-OFS-6400-10-06-O	7.20
Y-OFS-6400-10-08-O	4.95
Y-OFS-6400-10-10-O	4.75
Y-OFS-6400-10-12-O	6.40
Y-OFS-6400-10-16-O	13.00
Y-OFS-6400-12-06-O	10.65
Y-OFS-6400-12-08-O	6.65
Y-OFS-6400-12-10-O	6.65
Y-OFS-6400-12-12-O	6.45
Y-OFS-6400-12-16-O	10.05
Y-OFS-6400-12-20-O	30.85
Y-OFS-6400-16-08-O	13.15
Y-OFS-6400-16-10-O	17.95
Y-OFS-6400-16-12-O	10.30
Y-OFS-6400-16-16-O	10.10
Y-OFS-6400-16-20-O	15.50
Y-OFS-6400-20-16-O	15.35
Y-OFS-6400-20-20-O	15.30
Y-OFS-6400-20-24-O	30.35
Y-OFS-6400-24-20-O	30.35
Y-OFS-6400-24-24-O	27.25
Y-OFS-6400-32-32-O	138.80



Y-OFS-6400-L-O - Str.

(1) Male OFS
(2) Male O-Ring-Long


Y-OFS-6400-L-04-04-O	5.15
Y-OFS-6400-L-06-06-O	5.30
Y-OFS-6400-L-06-08-O	18.75
Y-OFS-6400-L-08-08-O	9.15
Y-OFS-6400-L-10-10-O	11.60
Y-OFS-6400-L-12-12-O	13.60
Y-OFS-6400-L-16-12-O	25.70
Y-OFS-6400-L-16-16-O	26.00
Y-OFS-6400-L-20-20-O	48.05
Y-OFS-6400-L-24-24-O	87.60



OFS-6402-O - Str.

(1) Fem. OFS Swivel
(2) Male O-Ring


Y-OFS-6402-04-04-O	7.40
Y-OFS-6402-06-06-O	5.75
Y-OFS-6402-08-08-O	7.05
Y-OFS-6402-10-10-O	11.10
Y-OFS-6402-12-12-O	14.35
Y-OFS-6402-16-16-O	19.35
Y-OFS-6402-20-20-O	40.35
Y-OFS-6402-24-24-O	102.00



Y-OFS-6500-F - 90°

(1) Male OFS
(2) Fem. OFS Swivel


Y-OFS-6500-F-04-04	6.30
Y-OFS-6500-F-04-06	8.90
Y-OFS-6500-F-06-06	7.90
Y-OFS-6500-F-06-08	11.90
Y-OFS-6500-F-08-06	10.30
Y-OFS-6500-F-08-08	9.15
Y-OFS-6500-F-08-12	24.55
Y-OFS-6500-F-10-10	12.65
Y-OFS-6500-F-12-12	18.75
Y-OFS-6500-F-16-16	28.95
Y-OFS-6500-F-20-20	42.45
Y-OFS-6500-F-24-20	71.45
Y-OFS-6500-F-24-24	53.00



Y-OFS-6502-F - 45°

(1) Male OFS
(2) Fem. OFS Swivel


Y-OFS-6502-F-04-04	8.00
Y-OFS-6502-F-06-06	8.95
Y-OFS-6502-F-08-08	10.55
Y-OFS-6502-F-10-10	14.65
Y-OFS-6502-F-12-12	20.60
Y-OFS-6502-F-16-16	35.50
Y-OFS-6502-F-20-20	61.10



Y-OFS-6504 - Str.

(1) Male OFS
(2) Fem. OFS Swivel

Y-OFS-6504-04-04	8.80
Y-OFS-6504-06-06	9.45
Y-OFS-6504-08-08	12.15
Y-OFS-6504-10-10	13.70
Y-OFS-6504-12-12	18.50
Y-OFS-6504-16-16	27.60
Y-OFS-6504-20-20	44.35
Y-OFS-6504-24-24	85.15




Y-OFS-6505 - Str.

(1) Fem. OFS Swivel
(2) Male Pipe

Y-OFS-6505-04-04	8.65
Y-OFS-6505-06-06	12.15
Y-OFS-6505-08-08	15.65
Y-OFS-6505-10-08	18.50
Y-OFS-6505-12-12	22.85
Y-OFS-6505-16-16	30.15
Y-OFS-6505-20-20	45.55
Y-OFS-6505-24-24	69.85


IMPORT O-RING FACE SEAL

Styles may vary from picture




Y-OFS-6565 - Str.
(1) (2) Fem. OFS Swivel

Y-OFS-6565-04-04	5.50
Y-OFS-6565-06-06	7.65
Y-OFS-6565-08-08	10.30
Y-OFS-6565-10-10	13.50
Y-OFS-6565-12-12	18.20
Y-OFS-6565-16-16	28.00
Y-OFS-6565-20-20	38.20
Y-OFS-6565-24-24	60.20




Y-OFS-6600-F - Tee
(1) (2) Male OFS
(3) Fem. OFS Swivel

Y-OFS-6600-F-04-04-04	9.30
Y-OFS-6600-F-04-04-06	16.65
Y-OFS-6600-F-06-06-06	11.45
Y-OFS-6600-F-08-08-08	13.35
Y-OFS-6600-F-10-10-10	19.50
Y-OFS-6600-F-12-12-12	27.90
Y-OFS-6600-F-12-12-16	92.85
Y-OFS-6600-F-16-16-12	57.75
Y-OFS-6600-F-16-16-16	39.40
Y-OFS-6600-F-20-20-20	66.65
Y-OFS-6600-F-24-24-24	80.80




Y-OFS-6602-F - Tee
(1) (3) Male OFS
(2) Fem. OFS Swivel

Y-OFS-6602-F-04-04-04	9.40
Y-OFS-6602-F-06-06-04	17.50
Y-OFS-6602-F-06-06-06	11.65
Y-OFS-6602-F-06-06-08	17.95
Y-OFS-6602-F-06-08-06	21.65
Y-OFS-6602-F-06-08-08	21.65
Y-OFS-6602-F-08-08-06	21.65
Y-OFS-6602-F-08-08-08	14.40
Y-OFS-6602-F-10-10-10	20.30
Y-OFS-6602-F-12-10-10	42.70
Y-OFS-6602-F-12-12-10	53.30
Y-OFS-6602-F-12-12-12	29.15
Y-OFS-6602-F-16-16-16	38.65
Y-OFS-6602-F-20-20-20	59.35
Y-OFS-6602-F-24-24-24	99.20




Y-OFS-6801-F-NWO - 90°
(1) Male OFS
(2) Adj. O-Ring

Y-OFS-6801-F-04-03-NWO	13.50
Y-OFS-6801-F-04-04-NWO	4.80
Y-OFS-6801-F-04-06-NWO	6.75
Y-OFS-6801-F-04-08-NWO	8.30
Y-OFS-6801-F-06-04-NWO	6.85
Y-OFS-6801-F-06-05-NWO	12.45
Y-OFS-6801-F-06-06-NWO	6.75
Y-OFS-6801-F-06-08-NWO	8.40
Y-OFS-6801-F-06-10-NWO	12.35
Y-OFS-6801-F-06-12-NWO	17.20
Y-OFS-6801-F-06-16-NWO	38.95
Y-OFS-6801-F-08-04-NWO	16.00
Y-OFS-6801-F-08-06-NWO	8.00
Y-OFS-6801-F-08-08-NWO	7.95
Y-OFS-6801-F-08-10-NWO	11.90
Y-OFS-6801-F-08-12-NWO	16.55
Y-OFS-6801-F-10-08-NWO	11.25
Y-OFS-6801-F-10-10-NWO	11.90
Y-OFS-6801-F-10-12-NWO	16.55
Y-OFS-6801-F-12-08-NWO	17.70
Y-OFS-6801-F-12-10-NWO	17.70
Y-OFS-6801-F-12-12-NWO	17.20
Y-OFS-6801-F-12-16-NWO	24.35
Y-OFS-6801-F-16-12-NWO	24.60
Y-OFS-6801-F-16-14-NWO	57.90
Y-OFS-6801-F-16-16-NWO	23.35
Y-OFS-6801-F-16-20-NWO	37.65
Y-OFS-6801-F-20-12-NWO	46.95
Y-OFS-6801-F-20-16-NWO	36.55
Y-OFS-6801-F-20-20-NWO	34.60
Y-OFS-6801-F-20-24-NWO	51.50
Y-OFS-6801-F-24-20-NWO	53.65
Y-OFS-6801-F-24-24-NWO	50.75




Y-OFS-6801-F-L-NWO - 90°
(1) Male OFS
(2) Adj. O-Ring-Long

Y-OFS-6801-F-L-04-04-NWO	9.85
Y-OFS-6801-F-L-06-06-NWO	14.00
Y-OFS-6801-F-L-08-08-NWO	16.20
Y-OFS-6801-F-L-10-10-NWO	28.60
Y-OFS-6801-F-L-12-12-NWO	29.00
Y-OFS-6801-F-L-16-16-NWO	42.30
Y-OFS-6801-F-L-20-20-NWO	93.10



Y-OFS-6801-F-LL-NWO - 90°
(1) Male OFS
(2) Adj. O-Ring-Ex. Long

Y-OFS-6801-F-LL-08-08-NWO	26.20
Y-OFS-6801-F-LL-12-12-NWO	54.70
Y-OFS-6801-F-LL-16-16-NWO	72.45




Y-OFS-6802-F-NWO - 45°
(1) Male OFS
(2) Adj. O-Ring

Y-OFS-6802-F-04-03-NWO	14.40
Y-OFS-6802-F-04-04-NWO	5.15
Y-OFS-6802-F-04-05-NWO	16.75
Y-OFS-6802-F-04-06-NWO	6.05
Y-OFS-6802-F-06-04-NWO	6.30
Y-OFS-6802-F-06-06-NWO	6.45
Y-OFS-6802-F-06-08-NWO	7.60
Y-OFS-6802-F-06-10-NWO	14.95
Y-OFS-6802-F-08-06-NWO	7.05
Y-OFS-6802-F-08-08-NWO	8.15
Y-OFS-6802-F-08-10-NWO	11.30
Y-OFS-6802-F-08-12-NWO	15.20
Y-OFS-6802-F-10-08-NWO	11.90
Y-OFS-6802-F-10-10-NWO	11.55
Y-OFS-6802-F-10-12-NWO	14.90
Y-OFS-6802-F-12-08-NWO	21.00
Y-OFS-6802-F-12-10-NWO	13.75
Y-OFS-6802-F-12-12-NWO	16.10
Y-OFS-6802-F-12-16-NWO	23.50
Y-OFS-6802-F-16-12-NWO	21.20
Y-OFS-6802-F-16-16-NWO	23.60
Y-OFS-6802-F-16-20-NWO	30.35
Y-OFS-6802-F-20-16-NWO	48.80
Y-OFS-6802-F-20-20-NWO	31.50
Y-OFS-6802-F-24-24-NWO	61.00

IMPORT O-RING FACE SEAL


Styles may vary from picture



Y-OFS-6803-F-NWO - Tee

- (1) (2) Male OFS
- (3) Adj. O-Ring


Y-OFS-6803-F-04-04-04-NWO	7.90
Y-OFS-6803-F-06-06-03-NWO	23.50
Y-OFS-6803-F-06-06-04-NWO	20.45
Y-OFS-6803-F-06-06-06-NWO	11.00
Y-OFS-6803-F-06-06-08-NWO	15.35
Y-OFS-6803-F-08-08-06-NWO	16.30
Y-OFS-6803-F-08-08-08-NWO	12.75
Y-OFS-6803-F-10-10-10-NWO	19.95
Y-OFS-6803-F-12-12-10-NWO	33.55
Y-OFS-6803-F-12-12-12-NWO	25.30
Y-OFS-6803-F-12-12-16-NWO	54.50
Y-OFS-6803-F-12-16-16-NWO	59.65
Y-OFS-6803-F-16-16-16-NWO	37.65
Y-OFS-6803-F-16-16-20-NWO	86.40
Y-OFS-6803-F-20-20-16-NWO	82.30
Y-OFS-6803-F-20-20-20-NWO	69.75
Y-OFS-6803-F-24-24-24-NWO	120.25



Y-OFS-6804-F-NWO - Tee

- (1) (3) Male OFS
- (2) Adj. O-Ring


Y-OFS-6804-F-04-04-04-NWO	7.90
Y-OFS-6804-F-04-04-06-NWO	15.05
Y-OFS-6804-F-04-06-04-NWO	15.40
Y-OFS-6804-F-06-04-06-NWO	15.10
Y-OFS-6804-F-06-06-06-NWO	10.65
Y-OFS-6804-F-08-06-08-NWO	18.40
Y-OFS-6804-F-08-08-04-NWO	20.00
Y-OFS-6804-F-08-08-08-NWO	12.35
Y-OFS-6804-F-08-10-08-NWO	29.30
Y-OFS-6804-F-08-12-04-NWO	42.50
Y-OFS-6804-F-08-12-08-NWO	26.15
Y-OFS-6804-F-08-16-08-NWO	61.20
Y-OFS-6804-F-10-10-08-NWO	29.30
Y-OFS-6804-F-10-10-10-NWO	18.55
Y-OFS-6804-F-10-12-10-NWO	37.70
Y-OFS-6804-F-10-12-12-NWO	37.90
Y-OFS-6804-F-12-08-12-NWO	39.50
Y-OFS-6804-F-12-12-08-NWO	41.15
Y-OFS-6804-F-12-12-10-NWO	41.15
Y-OFS-6804-F-12-12-12-NWO	25.45
Y-OFS-6804-F-12-12-16-NWO	48.00



Y-OFS-MJIC-6504 - Str.

- (1) Fem. OFS Swivel
- (2) Male JIC


Y-OFS-MJIC-6504-04-04	6.05
Y-OFS-MJIC-6504-06-06	5.65
Y-OFS-MJIC-6504-08-06	16.35
Y-OFS-MJIC-6504-08-08	7.90
Y-OFS-MJIC-6504-10-10	9.25
Y-OFS-MJIC-6504-12-12	13.05
Y-OFS-MJIC-6504-16-16	20.90
Y-OFS-MJIC-6504-20-20	30.35
Y-OFS-MJIC-6504-24-24	77.40



Y-OFS-6809-F-NWO - 90°

- (1) Fem. OFS Swivel
- (2) Adj. O-Ring


Y-OFS-6809-F-04-04-NWO	7.75
Y-OFS-6809-F-06-06-NWO	9.15
Y-OFS-6809-F-08-08-NWO	11.25
Y-OFS-6809-F-10-10-NWO	16.75
Y-OFS-6809-F-12-12-NWO	23.45
Y-OFS-6809-F-16-16-NWO	37.70
Y-OFS-6809-F-20-20-NWO	60.45
Y-OFS-6809-F-24-24-NWO	69.65



Y-OFS-FJIC-6504 - Str.

- (1) Male OFS
- (2) Fem. JIC Swivel

Y-OFS-FJIC-6504-04-04	4.70
Y-OFS-FJIC-6504-06-06	6.25
Y-OFS-FJIC-6504-08-08	7.45
Y-OFS-FJIC-6504-10-10	12.40
Y-OFS-FJIC-6504-12-12	18.50
Y-OFS-FJIC-6504-16-16	26.50
Y-OFS-FJIC-6504-20-20	40.60
Y-OFS-FJIC-6504-24-24	69.00



Y-OFS-MJIC-2403 - Str.

- (1) Male OFS
- (2) Male JIC

Y-OFS-MJIC-2403-04-04	3.00
Y-OFS-MJIC-2403-06-06	4.75
Y-OFS-MJIC-2403-08-08	5.55
Y-OFS-MJIC-2403-10-10	7.70
Y-OFS-MJIC-2403-12-08	34.95
Y-OFS-MJIC-2403-12-12	9.75
Y-OFS-MJIC-2403-16-16	14.25
Y-OFS-MJIC-2403-20-20	31.75
Y-OFS-MJIC-2403-24-24	72.25

Imported O-Ring Face Seal Fittings

Dash Number	4	6	8	10	12	16	20	24
Tube O.D.	¼	⅜	½	⅝	¾	1	1-¼	1-½
O-Ring Face Seal Thread	⅝-18	1¼-16	1¾-16	1-14	1¾-12	1¼-12	1¼-12	2-12
O-Ring Face Seal PSI 4:1	6000	6000	6000	6000	6000	5500	4000	4000
Adjustable Fittings PSI	5000	5000	5000	4500	4000	3000	2500	2000
Pipe Thread Std. 4:1	5000	4500	3000		3000	1750	1500	1500

Notes: _____

PARTS INDEX

Y-OFS-0304-C	1	Y-OFS-2701-F-LN	4
Y-OFS-0306	1	Y-OFS-2702-F	4
Y-OFS-0318	1	Y-OFS-2702-F-LN	4
Y-OFS-0319	1	Y-OFS-2703-F	4
Y-OFS-0403	1	Y-OFS-2703-F-LN	4
Y-OFS-1700-61	1	Y-OFS-2704-F	4
Y-OFS-1700-62	1	Y-OFS-2704-F-LN	4
Y-OFS-1703-F-61	1	Y-OFS-6400-O	5
Y-OFS-1703-F-62	1	Y-OFS-6400-L-O	5
Y-OFS-1704-F-61	2	Y-OFS-6402-O	5
Y-OFS-1704-F-62	2	Y-OFS-6500-F	5
Y-OFS-2403	2	Y-OFS-6502-F	5
Y-OFS-2404	2	Y-OFS-6504	5
Y-OFS-2406	2	Y-OFS-6505	5
Y-OFS-2406-BLK	2	Y-OFS-6565	6
Y-OFS-2407	2	Y-OFS-6600-F	6
Y-OFS-2408	2	Y-OFS-6602-F	6
Y-OFS-2500-F	3	Y-OFS-6801-F-NWO	6
Y-OFS-2501-F	3	Y-OFS-6801-F-L-NWO	6
Y-OFS-2503-F	3	Y-OFS-6801-F-LL-NWO	6
Y-OFS-2601-F	3	Y-OFS-6802-F-NWO	6
Y-OFS-2603-F	3	Y-OFS-6803-F-NWO	7
Y-OFS-2605-F	3	Y-OFS-6804-F-NWO	7
Y-OFS-2650-F	3	Y-OFS-6809-F-NWO	7
Y-OFS-2700	3	Y-OFS-FJIC-6504	7
Y-OFS-2700-LN	4	Y-OFS-MJIC-2403	7
Y-OFS-2701-F	4	Y-OFS-MJIC-6504	7



FITTINGS UNLIMITED, INC.

Adapter & Fitting Specialist

1-800-348-8467