



FITTINGS UNLIMITED, INC.

Adapter & Fitting Specialist

www.fittingsunlimited.com

Price List

Prices subject to change without notice.

CORPORATE SALES

DALLAS, TX

3000 AVENUE F
ARLINGTON, TX 76011
(800) 348-8467 (817) 860-8517 FAX

CLEVELAND, OH

(800) 348-8467 (817) 860-8517 FAX

HOUSTON, TX

(800) 633-5340 (713) 672-8101 FAX

SALT LAKE CITY, UT

(800) 348-8467 (817) 860-8517 FAX

CANADA

CFA Industries - Fittings Unlimited, Inc.
40 Engelhard Drive, Unit 6
Aurora, Ontario L4G 6X6
(877) 644-4403 (905) 713-3927 FAX

TERMS - All invoices are 2%-10 Net 30 with approved credit. A 1½% finance charge will be assessed on all past due accounts. All accounts due and payable in Arlington, Tarrant County, Texas.

MINIMUM ORDER - \$25.00 per order

POR - Price On Request


RETURNS - Fittings may be returned only with authorization from FITTINGS UNLIMITED, INC. - subject to our inspection and must be shipped freight prepaid within 30 days of original shipment. A restocking fee of 20% or \$10.00, whichever is greater, will apply. In case of shipping errors, notification must be made within 30 days to receive an adjustment. Special fittings and made to order items are non-cancelable and not returnable without written consent of FITTINGS UNLIMITED, INC.

*Import O-Ring
Face Seal*

*“It is the policy of Fittings Unlimited, Inc.
to maintain and improve our customer satisfaction by
providing hydraulic and pneumatic fittings and
accessories that consistently meet our customer’s
specified product and delivery requirements.”*

IMPORT O-RING FACE SEAL

Styles may vary from picture




Y-OFS-0304-C
Cap Nut

| | |
|-----------------|-------|
| Y-OFS-0304-C-04 | 2.05 |
| Y-OFS-0304-C-06 | 2.70 |
| Y-OFS-0304-C-08 | 3.40 |
| Y-OFS-0304-C-10 | 4.65 |
| Y-OFS-0304-C-12 | 6.05 |
| Y-OFS-0304-C-16 | 8.45 |
| Y-OFS-0304-C-20 | 12.05 |
| Y-OFS-0304-C-24 | 18.15 |
| Y-OFS-0304-C-32 | 61.20 |




Y-OFS-0306
Bulkhead Lock Nut

| | |
|---------------|-------|
| Y-OFS-0306-04 | 0.80 |
| Y-OFS-0306-06 | 1.15 |
| Y-OFS-0306-08 | 1.55 |
| Y-OFS-0306-10 | 1.80 |
| Y-OFS-0306-12 | 2.60 |
| Y-OFS-0306-16 | 3.25 |
| Y-OFS-0306-20 | 4.25 |
| Y-OFS-0306-24 | 22.35 |




Y-OFS-0318
OFS Nut

| | |
|---------------|-------|
| Y-OFS-0318-04 | 1.45 |
| Y-OFS-0318-06 | 1.60 |
| Y-OFS-0318-08 | 1.70 |
| Y-OFS-0318-10 | 2.40 |
| Y-OFS-0318-12 | 3.25 |
| Y-OFS-0318-16 | 4.95 |
| Y-OFS-0318-20 | 8.25 |
| Y-OFS-0318-24 | 12.75 |
| Y-OFS-0318-32 | 56.00 |




Y-OFS-0319
OFS Braze Shoulder

| | |
|---------------|-------|
| Y-OFS-0319-10 | 1.50 |
| Y-OFS-0319-12 | 2.60 |
| Y-OFS-0319-16 | 3.75 |
| Y-OFS-0319-20 | 6.10 |
| Y-OFS-0319-24 | 9.75 |
| Y-OFS-0319-32 | 29.40 |




Y-OFS-0403
(1) Bore for Brazing
(2) Male OFS

| | |
|------------------|-------|
| Y-OFS-0403-04-04 | 1.45 |
| Y-OFS-0403-04-06 | 5.95 |
| Y-OFS-0403-04-08 | 13.75 |
| Y-OFS-0403-06-04 | 3.75 |
| Y-OFS-0403-06-06 | 2.70 |
| Y-OFS-0403-06-08 | 4.25 |
| Y-OFS-0403-06-10 | 8.65 |
| Y-OFS-0403-08-06 | 4.75 |
| Y-OFS-0403-08-08 | 3.65 |
| Y-OFS-0403-08-10 | 8.65 |
| Y-OFS-0403-08-12 | 13.00 |
| Y-OFS-0403-08-16 | 26.80 |
| Y-OFS-0403-10-06 | 23.45 |
| Y-OFS-0403-10-08 | 6.25 |
| Y-OFS-0403-10-10 | 4.30 |
| Y-OFS-0403-10-12 | 7.55 |
| Y-OFS-0403-12-08 | 6.30 |
| Y-OFS-0403-12-10 | 7.55 |
| Y-OFS-0403-12-12 | 4.70 |
| Y-OFS-0403-12-16 | 13.45 |
| Y-OFS-0403-16-12 | 13.75 |
| Y-OFS-0403-16-16 | 8.50 |
| Y-OFS-0403-16-20 | 37.10 |
| Y-OFS-0403-20-16 | 30.90 |
| Y-OFS-0403-20-20 | 18.80 |
| Y-OFS-0403-20-24 | 67.00 |
| Y-OFS-0403-24-20 | 53.60 |
| Y-OFS-0403-24-24 | 40.70 |




Y-OFS-1700-61 - Str.
(1) Male OFS
(2) O-Ring Flange
Code 61

| | |
|---------------------|-------|
| Y-OFS-1700-61-12-12 | 28.00 |
| Y-OFS-1700-61-16-16 | 39.55 |
| Y-OFS-1700-61-20-20 | 47.55 |
| Y-OFS-1700-61-24-24 | 69.55 |




Y-OFS-1700-62 - Str.
(1) Male OFS
(2) O-Ring Flange
Code 62

| | |
|---------------------|--------|
| Y-OFS-1700-62-12-12 | 39.55 |
| Y-OFS-1700-62-12-16 | 44.00 |
| Y-OFS-1700-62-16-12 | 48.00 |
| Y-OFS-1700-62-16-16 | 53.90 |
| Y-OFS-1700-62-20-16 | 60.90 |
| Y-OFS-1700-62-20-20 | 66.20 |
| Y-OFS-1700-62-24-24 | 105.80 |



Y-OFS-1703-F-61 - 45°
(1) Male OFS
(2) O-Ring Flange
Code 61

| | |
|-----------------------|--------|
| Y-OFS-1703-F-61-12-12 | 40.45 |
| Y-OFS-1703-F-61-16-16 | 55.90 |
| Y-OFS-1703-F-61-20-20 | 70.65 |
| Y-OFS-1703-F-61-24-24 | 116.55 |




Y-OFS-1703-F-62 - 45°
(1) Male OFS
(2) O-Ring Flange
Code 62

| | |
|-----------------------|--------|
| Y-OFS-1703-F-62-12-12 | 41.45 |
| Y-OFS-1703-F-62-16-16 | 58.10 |
| Y-OFS-1703-F-62-20-20 | 73.80 |
| Y-OFS-1703-F-62-24-24 | 119.45 |

IMPORT O-RING FACE SEAL


Styles may vary from picture



Y-OFS-1704-F-61 - 90°

(1) Male OFS
(2) O-Ring Flange
Code 61


| | |
|-----------------------|--------|
| Y-OFS-1704-F-61-12-12 | 49.90 |
| Y-OFS-1704-F-61-16-16 | 64.20 |
| Y-OFS-1704-F-61-20-20 | 86.65 |
| Y-OFS-1704-F-61-24-24 | 149.90 |



Y-OFS-1704-F-62 - 90°

(1) Male OFS
(2) O-Ring Flange
Code 62


| | |
|-----------------------|--------|
| Y-OFS-1704-F-62-12-12 | 53.45 |
| Y-OFS-1704-F-62-16-16 | 74.00 |
| Y-OFS-1704-F-62-20-20 | 89.10 |
| Y-OFS-1704-F-62-24-24 | 143.35 |



Y-OFS-2403 - Str.

(1) (2) Male OFS Union


| | |
|------------------|--------|
| Y-OFS-2403-04-04 | 2.10 |
| Y-OFS-2403-06-04 | 2.55 |
| Y-OFS-2403-06-06 | 2.70 |
| Y-OFS-2403-08-06 | 4.00 |
| Y-OFS-2403-08-08 | 3.70 |
| Y-OFS-2403-10-08 | 5.20 |
| Y-OFS-2403-10-10 | 5.10 |
| Y-OFS-2403-12-08 | 9.95 |
| Y-OFS-2403-12-10 | 7.05 |
| Y-OFS-2403-12-12 | 6.50 |
| Y-OFS-2403-16-08 | 37.50 |
| Y-OFS-2403-16-12 | 11.15 |
| Y-OFS-2403-16-16 | 10.50 |
| Y-OFS-2403-20-16 | 17.00 |
| Y-OFS-2403-20-20 | 14.75 |
| Y-OFS-2403-24-20 | 38.75 |
| Y-OFS-2403-24-24 | 27.40 |
| Y-OFS-2403-32-32 | 100.55 |



Y-OFS-2404 - Str.

(1) Male OFS
(2) Male Pipe

| | |
|------------------|-------|
| Y-OFS-2404-04-02 | 2.30 |
| Y-OFS-2404-04-04 | 2.30 |
| Y-OFS-2404-04-06 | 3.00 |
| Y-OFS-2404-04-08 | 4.85 |
| Y-OFS-2404-06-02 | 3.30 |
| Y-OFS-2404-06-04 | 2.60 |
| Y-OFS-2404-06-06 | 2.65 |
| Y-OFS-2404-06-08 | 3.80 |
| Y-OFS-2404-08-04 | 3.35 |
| Y-OFS-2404-08-06 | 3.25 |
| Y-OFS-2404-08-08 | 3.70 |
| Y-OFS-2404-08-12 | 5.50 |
| Y-OFS-2404-08-16 | 13.70 |
| Y-OFS-2404-10-08 | 5.00 |
| Y-OFS-2404-10-12 | 6.10 |
| Y-OFS-2404-10-16 | 16.50 |
| Y-OFS-2404-12-08 | 6.10 |
| Y-OFS-2404-12-12 | 6.40 |
| Y-OFS-2404-12-16 | 10.20 |
| Y-OFS-2404-16-12 | 11.45 |
| Y-OFS-2404-16-16 | 9.40 |
| Y-OFS-2404-16-20 | 19.00 |
| Y-OFS-2404-20-16 | 15.90 |
| Y-OFS-2404-20-20 | 14.25 |
| Y-OFS-2404-24-24 | 27.10 |




Y-OFS-2406 - Str.

Reducer

(1) Fem. OFS
(2) Male OFS

| | |
|------------------|-------|
| Y-OFS-2406-04-06 | 17.10 |
| Y-OFS-2406-04-08 | 18.35 |
| Y-OFS-2406-06-04 | 4.80 |
| Y-OFS-2406-06-08 | 17.45 |
| Y-OFS-2406-08-04 | 6.50 |
| Y-OFS-2406-08-06 | 6.25 |
| Y-OFS-2406-08-12 | 25.95 |
| Y-OFS-2406-10-04 | 9.95 |
| Y-OFS-2406-10-06 | 11.65 |
| Y-OFS-2406-10-08 | 9.10 |
| Y-OFS-2406-10-12 | 28.80 |
| Y-OFS-2406-12-04 | 12.90 |
| Y-OFS-2406-12-06 | 9.55 |
| Y-OFS-2406-12-08 | 9.60 |
| Y-OFS-2406-12-10 | 11.25 |
| Y-OFS-2406-12-16 | 32.35 |

| | |
|------------------|-------|
| Y-OFS-2406-16-08 | 16.35 |
| Y-OFS-2406-16-10 | 25.75 |
| Y-OFS-2406-16-12 | 14.85 |
| Y-OFS-2406-16-20 | 39.35 |
| Y-OFS-2406-20-12 | 32.80 |
| Y-OFS-2406-20-16 | 27.40 |
| Y-OFS-2406-20-24 | 42.85 |
| Y-OFS-2406-24-16 | 56.40 |
| Y-OFS-2406-24-20 | 57.20 |




Y-OFS-2406-BLK- Str.

BLANK

(1) Fem. OFS
(2) Male OFS

| | |
|----------------------|-------|
| Y-OFS-2406-BLK-04-04 | 23.65 |
| Y-OFS-2406-BLK-06-06 | 28.65 |
| Y-OFS-2406-BLK-08-08 | 34.00 |




Y-OFS-2407 - Str.

Reducer Less Nut

(1) Fem. OFS
(2) Male OFS

| | |
|------------------|-------|
| Y-OFS-2407-08-04 | 9.90 |
| Y-OFS-2407-08-06 | 6.00 |
| Y-OFS-2407-10-04 | 13.80 |
| Y-OFS-2407-10-06 | 13.80 |
| Y-OFS-2407-10-08 | 11.50 |
| Y-OFS-2407-12-04 | 14.40 |
| Y-OFS-2407-12-06 | 14.00 |
| Y-OFS-2407-12-08 | 14.00 |
| Y-OFS-2407-16-08 | 17.60 |
| Y-OFS-2407-16-10 | 23.50 |
| Y-OFS-2407-20-12 | 28.20 |
| Y-OFS-2407-24-16 | 35.10 |
| Y-OFS-2407-24-20 | 35.10 |
| Y-OFS-2407-32-20 | 97.45 |
| Y-OFS-2407-32-24 | 97.45 |




Y-OFS-2408

(1) Male OFS Plug

| | |
|---------------|-------|
| Y-OFS-2408-04 | 1.65 |
| Y-OFS-2408-06 | 1.85 |
| Y-OFS-2408-08 | 2.20 |
| Y-OFS-2408-10 | 3.10 |
| Y-OFS-2408-12 | 4.40 |
| Y-OFS-2408-16 | 6.70 |
| Y-OFS-2408-20 | 9.80 |
| Y-OFS-2408-24 | 18.10 |


IMPORT O-RING FACE SEAL

Styles may vary from picture




Y-OFS-2500-F - 90°
(1) (2) Male OFS Union

| | |
|--------------------|--------|
| Y-OFS-2500-F-04-04 | 4.05 |
| Y-OFS-2500-F-06-04 | 6.45 |
| Y-OFS-2500-F-06-06 | 5.85 |
| Y-OFS-2500-F-08-08 | 6.20 |
| Y-OFS-2500-F-10-10 | 8.85 |
| Y-OFS-2500-F-12-12 | 13.45 |
| Y-OFS-2500-F-16-16 | 18.85 |
| Y-OFS-2500-F-20-20 | 28.00 |
| Y-OFS-2500-F-24-24 | 51.45 |
| Y-OFS-2500-F-32-32 | 172.75 |




Y-OFS-2501-F - 90°
(1) Male OFS
(2) Male Pipe

| | |
|--------------------|--------|
| Y-OFS-2501-F-04-02 | 3.95 |
| Y-OFS-2501-F-04-04 | 4.25 |
| Y-OFS-2501-F-04-06 | 5.40 |
| Y-OFS-2501-F-04-08 | 7.05 |
| Y-OFS-2501-F-06-02 | 19.20 |
| Y-OFS-2501-F-06-04 | 5.10 |
| Y-OFS-2501-F-06-06 | 5.50 |
| Y-OFS-2501-F-06-08 | 7.05 |
| Y-OFS-2501-F-08-04 | 5.60 |
| Y-OFS-2501-F-08-06 | 5.75 |
| Y-OFS-2501-F-08-08 | 6.75 |
| Y-OFS-2501-F-08-12 | 9.15 |
| Y-OFS-2501-F-10-08 | 9.40 |
| Y-OFS-2501-F-10-12 | 10.00 |
| Y-OFS-2501-F-10-16 | 17.25 |
| Y-OFS-2501-F-12-08 | 12.45 |
| Y-OFS-2501-F-12-12 | 12.45 |
| Y-OFS-2501-F-12-16 | 15.75 |
| Y-OFS-2501-F-16-12 | 17.90 |
| Y-OFS-2501-F-16-16 | 18.35 |
| Y-OFS-2501-F-20-16 | 24.75 |
| Y-OFS-2501-F-20-20 | 27.75 |
| Y-OFS-2501-F-24-20 | 137.00 |
| Y-OFS-2501-F-24-24 | 46.95 |




Y-OFS-2503-F - 45°
(1) Male OFS
(2) Male Pipe

| | |
|--------------------|--------|
| Y-OFS-2503-F-04-02 | 3.85 |
| Y-OFS-2503-F-04-04 | 4.15 |
| Y-OFS-2503-F-06-04 | 4.90 |
| Y-OFS-2503-F-06-06 | 5.60 |
| Y-OFS-2503-F-08-06 | 6.45 |
| Y-OFS-2503-F-08-08 | 6.85 |
| Y-OFS-2503-F-10-08 | 9.10 |
| Y-OFS-2503-F-12-12 | 10.85 |
| Y-OFS-2503-F-16-16 | 16.30 |
| Y-OFS-2503-F-20-20 | 25.50 |
| Y-OFS-2503-F-24-24 | 239.00 |



Y-OFS-2601-F - Tee
(1) (2) Male OFS
(3) Male Pipe


| | |
|-----------------------|-------|
| Y-OFS-2601-F-04-04-02 | 25.35 |
| Y-OFS-2601-F-04-04-04 | 7.30 |
| Y-OFS-2601-F-06-06-04 | 9.60 |
| Y-OFS-2601-F-06-06-06 | 9.60 |
| Y-OFS-2601-F-08-08-06 | 11.25 |
| Y-OFS-2601-F-08-08-08 | 12.30 |
| Y-OFS-2601-F-12-12-12 | 23.35 |
| Y-OFS-2601-F-16-16-16 | 30.75 |
| Y-OFS-2601-F-20-20-20 | 59.60 |



Y-OFS-2603-F - Tee
(1) (2) (3) Male OFS Union


| | |
|-----------------------|-------|
| Y-OFS-2603-F-04-04-04 | 6.80 |
| Y-OFS-2603-F-06-06-06 | 9.05 |
| Y-OFS-2603-F-06-06-08 | 12.80 |
| Y-OFS-2603-F-06-08-08 | 12.80 |
| Y-OFS-2603-F-08-06-08 | 12.80 |
| Y-OFS-2603-F-08-08-06 | 12.95 |
| Y-OFS-2603-F-08-08-08 | 9.85 |
| Y-OFS-2603-F-08-08-10 | 19.75 |
| Y-OFS-2603-F-10-10-10 | 14.45 |
| Y-OFS-2603-F-10-10-12 | 27.80 |
| Y-OFS-2603-F-12-12-04 | 28.15 |
| Y-OFS-2603-F-12-12-06 | 29.55 |
| Y-OFS-2603-F-12-12-08 | 28.45 |

| | |
|-----------------------|-------|
| Y-OFS-2603-F-12-12-12 | 21.30 |
| Y-OFS-2603-F-12-12-16 | 44.90 |
| Y-OFS-2603-F-16-16-12 | 43.10 |
| Y-OFS-2603-F-16-16-16 | 27.90 |
| Y-OFS-2603-F-20-20-16 | 48.50 |
| Y-OFS-2603-F-20-20-20 | 47.90 |
| Y-OFS-2603-F-24-24-24 | 74.40 |




Y-OFS-2605-F - Tee
(1) (3) Male OFS
(2) Male Pipe

| | |
|-----------------------|-------|
| Y-OFS-2605-F-04-04-04 | 11.65 |
| Y-OFS-2605-F-06-04-06 | 11.50 |
| Y-OFS-2605-F-06-06-06 | 12.00 |
| Y-OFS-2605-F-08-08-08 | 20.50 |



Y-OFS-2650-F - Cross
(1) (2) (3) (4) Male OFS Union

| | |
|--------------------------|--------|
| Y-OFS-2650-F-04-04-04-04 | 12.65 |
| Y-OFS-2650-F-06-06-06-06 | 16.90 |
| Y-OFS-2650-F-08-08-08-08 | 19.50 |
| Y-OFS-2650-F-10-10-10-10 | 33.35 |
| Y-OFS-2650-F-12-12-12-12 | 39.30 |
| Y-OFS-2650-F-16-16-16-16 | 72.55 |
| Y-OFS-2650-F-20-20-20-20 | 92.60 |
| Y-OFS-2650-F-24-24-24-24 | 136.00 |




Y-OFS-2700 - Str.
(1) Male OFS
(2) OFS Bulkhead

| | |
|------------------|-------|
| Y-OFS-2700-04-04 | 3.30 |
| Y-OFS-2700-06-06 | 4.10 |
| Y-OFS-2700-06-08 | 9.65 |
| Y-OFS-2700-08-06 | 9.65 |
| Y-OFS-2700-08-08 | 6.80 |
| Y-OFS-2700-10-10 | 9.80 |
| Y-OFS-2700-12-12 | 11.20 |
| Y-OFS-2700-16-16 | 16.45 |
| Y-OFS-2700-20-20 | 22.90 |
| Y-OFS-2700-24-24 | 54.15 |


IMPORT O-RING FACE SEAL

Styles may vary from picture




Y-OFS-2700-LN - Str.
 (1) Male OFS
 (2) OFS Bulkhead with Locknut

| | |
|---------------------|-------|
| Y-OFS-2700-LN-04-04 | 5.05 |
| Y-OFS-2700-LN-06-06 | 5.80 |
| Y-OFS-2700-LN-06-08 | 16.30 |
| Y-OFS-2700-LN-08-06 | 16.30 |
| Y-OFS-2700-LN-08-08 | 7.55 |
| Y-OFS-2700-LN-10-10 | 14.70 |
| Y-OFS-2700-LN-12-12 | 14.05 |
| Y-OFS-2700-LN-16-16 | 19.90 |
| Y-OFS-2700-LN-20-20 | 43.35 |
| Y-OFS-2700-LN-24-24 | 79.85 |




Y-OFS-2701-F - 90°
 (1) Male OFS
 (2) OFS Bulkhead

| | |
|--------------------|-------|
| Y-OFS-2701-F-04-04 | 5.80 |
| Y-OFS-2701-F-06-06 | 7.00 |
| Y-OFS-2701-F-06-08 | 11.00 |
| Y-OFS-2701-F-08-06 | 11.00 |
| Y-OFS-2701-F-08-08 | 8.25 |
| Y-OFS-2701-F-08-10 | 17.70 |
| Y-OFS-2701-F-10-10 | 12.15 |
| Y-OFS-2701-F-12-12 | 16.80 |
| Y-OFS-2701-F-16-16 | 21.70 |
| Y-OFS-2701-F-20-20 | 32.60 |
| Y-OFS-2701-F-24-24 | 91.15 |




Y-OFS-2701-F-LN - 90°
 (1) Male OFS
 (2) OFS Bulkhead with Locknut

| | |
|-----------------------|--------|
| Y-OFS-2701-F-LN-04-04 | 6.90 |
| Y-OFS-2701-F-LN-06-06 | 8.65 |
| Y-OFS-2701-F-LN-08-08 | 11.10 |
| Y-OFS-2701-F-LN-10-10 | 14.45 |
| Y-OFS-2701-F-LN-12-12 | 19.70 |
| Y-OFS-2701-F-LN-16-16 | 25.45 |
| Y-OFS-2701-F-LN-20-20 | 44.45 |
| Y-OFS-2701-F-LN-24-24 | 114.00 |




Y-OFS-2702-F - 45°
 (1) Male OFS
 (2) OFS Bulkhead

| | |
|--------------------|--------|
| Y-OFS-2702-F-04-04 | 6.10 |
| Y-OFS-2702-F-06-06 | 8.10 |
| Y-OFS-2702-F-08-08 | 9.30 |
| Y-OFS-2702-F-10-08 | 13.30 |
| Y-OFS-2702-F-10-10 | 11.45 |
| Y-OFS-2702-F-12-12 | 15.40 |
| Y-OFS-2702-F-16-16 | 24.15 |
| Y-OFS-2702-F-20-20 | 48.05 |
| Y-OFS-2702-F-24-24 | 117.65 |




Y-OFS-2702-F-LN - 45°
 (1) Male OFS
 (2) OFS Bulkhead with Locknut

| | |
|-----------------------|--------|
| Y-OFS-2702-F-LN-04-04 | 7.40 |
| Y-OFS-2702-F-LN-06-06 | 9.75 |
| Y-OFS-2702-F-LN-08-08 | 11.35 |
| Y-OFS-2702-F-LN-10-10 | 13.75 |
| Y-OFS-2702-F-LN-12-12 | 18.50 |
| Y-OFS-2702-F-LN-16-16 | 27.90 |
| Y-OFS-2702-F-LN-20-20 | 80.25 |
| Y-OFS-2702-F-LN-24-24 | 140.50 |




Y-OFS-2703-F - Tee
 (1) (2) Male OFS
 (3) OFS Bulkhead

| | |
|-----------------------|--------|
| Y-OFS-2703-F-04-04-04 | 8.30 |
| Y-OFS-2703-F-06-06-06 | 11.30 |
| Y-OFS-2703-F-08-08-08 | 12.80 |
| Y-OFS-2703-F-10-10-10 | 19.50 |
| Y-OFS-2703-F-12-12-12 | 26.95 |
| Y-OFS-2703-F-16-16-16 | 35.55 |
| Y-OFS-2703-F-20-20-20 | 64.50 |
| Y-OFS-2703-F-24-24-24 | 115.85 |




Y-OFS-2703-F-LN - Tee
 (1) (2) Male OFS
 (3) OFS Bulkhead with Locknut

| | |
|--------------------------|--------|
| Y-OFS-2703-F-LN-04-04-04 | 10.65 |
| Y-OFS-2703-F-LN-06-06-06 | 15.65 |
| Y-OFS-2703-F-LN-08-08-08 | 16.60 |
| Y-OFS-2703-F-LN-10-10-10 | 24.60 |
| Y-OFS-2703-F-LN-12-12-12 | 33.20 |
| Y-OFS-2703-F-LN-16-16-16 | 54.35 |
| Y-OFS-2703-F-LN-20-20-20 | 74.65 |
| Y-OFS-2703-F-LN-24-24-24 | 138.70 |



Y-OFS-2704-F - Tee
 (1) (3) Male OFS
 (2) OFS Bulkhead

| | |
|-----------------------|--------|
| Y-OFS-2704-F-04-04-04 | 8.30 |
| Y-OFS-2704-F-06-06-06 | 11.30 |
| Y-OFS-2704-F-08-08-08 | 12.80 |
| Y-OFS-2704-F-10-10-10 | 19.50 |
| Y-OFS-2704-F-12-12-12 | 26.95 |
| Y-OFS-2704-F-16-16-16 | 35.55 |
| Y-OFS-2704-F-20-20-20 | 64.50 |
| Y-OFS-2704-F-24-24-24 | 115.85 |




Y-OFS-2704-F-LN - Tee
 (1) (3) Male OFS
 (2) OFS Bulkhead with Locknut

| | |
|--------------------------|--------|
| Y-OFS-2704-F-LN-04-04-04 | 10.65 |
| Y-OFS-2704-F-LN-06-06-06 | 15.65 |
| Y-OFS-2704-F-LN-08-08-08 | 16.60 |
| Y-OFS-2704-F-LN-10-10-10 | 24.60 |
| Y-OFS-2704-F-LN-12-12-12 | 33.20 |
| Y-OFS-2704-F-LN-16-16-16 | 54.35 |
| Y-OFS-2704-F-LN-20-20-20 | 74.65 |
| Y-OFS-2704-F-LN-24-24-24 | 138.70 |

IMPORT O-RING FACE SEAL


Styles may vary from picture



Y-OFS-6400-O - Str.

(1) Male OFS
(2) Male O-Ring


| | |
|--------------------|--------|
| Y-OFS-6400-04-03-O | 6.85 |
| Y-OFS-6400-04-04-O | 2.00 |
| Y-OFS-6400-04-05-O | 4.25 |
| Y-OFS-6400-04-06-O | 2.40 |
| Y-OFS-6400-04-08-O | 3.80 |
| Y-OFS-6400-04-10-O | 4.45 |
| Y-OFS-6400-06-04-O | 2.75 |
| Y-OFS-6400-06-05-O | 6.90 |
| Y-OFS-6400-06-06-O | 2.50 |
| Y-OFS-6400-06-08-O | 3.50 |
| Y-OFS-6400-06-10-O | 4.70 |
| Y-OFS-6400-06-12-O | 7.45 |
| Y-OFS-6400-06-16-O | 28.85 |
| Y-OFS-6400-08-04-O | 9.50 |
| Y-OFS-6400-08-06-O | 3.40 |
| Y-OFS-6400-08-08-O | 3.35 |
| Y-OFS-6400-08-10-O | 4.35 |
| Y-OFS-6400-08-12-O | 6.45 |
| Y-OFS-6400-08-16-O | 10.10 |
| Y-OFS-6400-10-06-O | 7.20 |
| Y-OFS-6400-10-08-O | 4.95 |
| Y-OFS-6400-10-10-O | 4.75 |
| Y-OFS-6400-10-12-O | 6.40 |
| Y-OFS-6400-10-16-O | 13.00 |
| Y-OFS-6400-12-06-O | 10.65 |
| Y-OFS-6400-12-08-O | 6.65 |
| Y-OFS-6400-12-10-O | 6.65 |
| Y-OFS-6400-12-12-O | 6.45 |
| Y-OFS-6400-12-16-O | 10.05 |
| Y-OFS-6400-12-20-O | 30.85 |
| Y-OFS-6400-16-08-O | 13.15 |
| Y-OFS-6400-16-10-O | 17.95 |
| Y-OFS-6400-16-12-O | 10.30 |
| Y-OFS-6400-16-16-O | 10.10 |
| Y-OFS-6400-16-20-O | 15.50 |
| Y-OFS-6400-20-16-O | 15.35 |
| Y-OFS-6400-20-20-O | 15.30 |
| Y-OFS-6400-20-24-O | 30.35 |
| Y-OFS-6400-24-20-O | 30.35 |
| Y-OFS-6400-24-24-O | 27.25 |
| Y-OFS-6400-32-32-O | 138.80 |



Y-OFS-6400-L-O - Str.

(1) Male OFS
(2) Male O-Ring-Long


| | |
|----------------------|-------|
| Y-OFS-6400-L-04-04-O | 5.15 |
| Y-OFS-6400-L-06-06-O | 5.30 |
| Y-OFS-6400-L-06-08-O | 18.75 |
| Y-OFS-6400-L-08-08-O | 9.15 |
| Y-OFS-6400-L-10-10-O | 11.60 |
| Y-OFS-6400-L-12-12-O | 13.60 |
| Y-OFS-6400-L-16-12-O | 25.70 |
| Y-OFS-6400-L-16-16-O | 26.00 |
| Y-OFS-6400-L-20-20-O | 48.05 |
| Y-OFS-6400-L-24-24-O | 87.60 |



OFS-6402-O - Str.

(1) Fem. OFS Swivel
(2) Male O-Ring


| | |
|--------------------|--------|
| Y-OFS-6402-04-04-O | 7.40 |
| Y-OFS-6402-06-06-O | 5.75 |
| Y-OFS-6402-08-08-O | 7.05 |
| Y-OFS-6402-10-10-O | 11.10 |
| Y-OFS-6402-12-12-O | 14.35 |
| Y-OFS-6402-16-16-O | 19.35 |
| Y-OFS-6402-20-20-O | 40.35 |
| Y-OFS-6402-24-24-O | 102.00 |



Y-OFS-6500-F - 90°

(1) Male OFS
(2) Fem. OFS Swivel


| | |
|--------------------|-------|
| Y-OFS-6500-F-04-04 | 6.30 |
| Y-OFS-6500-F-04-06 | 8.90 |
| Y-OFS-6500-F-06-06 | 7.90 |
| Y-OFS-6500-F-06-08 | 11.90 |
| Y-OFS-6500-F-08-06 | 10.30 |
| Y-OFS-6500-F-08-08 | 9.15 |
| Y-OFS-6500-F-08-12 | 24.55 |
| Y-OFS-6500-F-10-10 | 12.65 |
| Y-OFS-6500-F-12-12 | 18.75 |
| Y-OFS-6500-F-16-16 | 28.95 |
| Y-OFS-6500-F-20-20 | 42.45 |
| Y-OFS-6500-F-24-20 | 71.45 |
| Y-OFS-6500-F-24-24 | 53.00 |



Y-OFS-6502-F - 45°

(1) Male OFS
(2) Fem. OFS Swivel


| | |
|--------------------|-------|
| Y-OFS-6502-F-04-04 | 8.00 |
| Y-OFS-6502-F-06-06 | 8.95 |
| Y-OFS-6502-F-08-08 | 10.55 |
| Y-OFS-6502-F-10-10 | 14.65 |
| Y-OFS-6502-F-12-12 | 20.60 |
| Y-OFS-6502-F-16-16 | 35.50 |
| Y-OFS-6502-F-20-20 | 61.10 |



Y-OFS-6504 - Str.

(1) Male OFS
(2) Fem. OFS Swivel

| | |
|------------------|-------|
| Y-OFS-6504-04-04 | 8.80 |
| Y-OFS-6504-06-06 | 9.45 |
| Y-OFS-6504-08-08 | 12.15 |
| Y-OFS-6504-10-10 | 13.70 |
| Y-OFS-6504-12-12 | 18.50 |
| Y-OFS-6504-16-16 | 27.60 |
| Y-OFS-6504-20-20 | 44.35 |
| Y-OFS-6504-24-24 | 85.15 |




Y-OFS-6505 - Str.

(1) Fem. OFS Swivel
(2) Male Pipe

| | |
|------------------|-------|
| Y-OFS-6505-04-04 | 8.65 |
| Y-OFS-6505-06-06 | 12.15 |
| Y-OFS-6505-08-08 | 15.65 |
| Y-OFS-6505-10-08 | 18.50 |
| Y-OFS-6505-12-12 | 22.85 |
| Y-OFS-6505-16-16 | 30.15 |
| Y-OFS-6505-20-20 | 45.55 |
| Y-OFS-6505-24-24 | 69.85 |


IMPORT O-RING FACE SEAL

Styles may vary from picture




Y-OFS-6565 - Str.
(1) (2) Fem. OFS Swivel

| | |
|------------------|-------|
| Y-OFS-6565-04-04 | 5.50 |
| Y-OFS-6565-06-06 | 7.65 |
| Y-OFS-6565-08-08 | 10.30 |
| Y-OFS-6565-10-10 | 13.50 |
| Y-OFS-6565-12-12 | 18.20 |
| Y-OFS-6565-16-16 | 28.00 |
| Y-OFS-6565-20-20 | 38.20 |
| Y-OFS-6565-24-24 | 60.20 |




Y-OFS-6600-F - Tee
(1) (2) Male OFS
(3) Fem. OFS Swivel

| | |
|-----------------------|-------|
| Y-OFS-6600-F-04-04-04 | 9.30 |
| Y-OFS-6600-F-04-04-06 | 16.65 |
| Y-OFS-6600-F-06-06-06 | 11.45 |
| Y-OFS-6600-F-08-08-08 | 13.35 |
| Y-OFS-6600-F-10-10-10 | 19.50 |
| Y-OFS-6600-F-12-12-12 | 27.90 |
| Y-OFS-6600-F-12-12-16 | 92.85 |
| Y-OFS-6600-F-16-16-12 | 57.75 |
| Y-OFS-6600-F-16-16-16 | 39.40 |
| Y-OFS-6600-F-20-20-20 | 66.65 |
| Y-OFS-6600-F-24-24-24 | 80.80 |




Y-OFS-6602-F - Tee
(1) (3) Male OFS
(2) Fem. OFS Swivel

| | |
|-----------------------|-------|
| Y-OFS-6602-F-04-04-04 | 9.40 |
| Y-OFS-6602-F-06-06-04 | 17.50 |
| Y-OFS-6602-F-06-06-06 | 11.65 |
| Y-OFS-6602-F-06-06-08 | 17.95 |
| Y-OFS-6602-F-06-08-06 | 21.65 |
| Y-OFS-6602-F-06-08-08 | 21.65 |
| Y-OFS-6602-F-08-08-06 | 21.65 |
| Y-OFS-6602-F-08-08-08 | 14.40 |
| Y-OFS-6602-F-10-10-10 | 20.30 |
| Y-OFS-6602-F-12-10-10 | 42.70 |
| Y-OFS-6602-F-12-12-10 | 53.30 |
| Y-OFS-6602-F-12-12-12 | 29.15 |
| Y-OFS-6602-F-16-16-16 | 38.65 |
| Y-OFS-6602-F-20-20-20 | 59.35 |
| Y-OFS-6602-F-24-24-24 | 99.20 |




Y-OFS-6801-F-NWO - 90°
(1) Male OFS
(2) Adj. O-Ring

| | |
|------------------------|-------|
| Y-OFS-6801-F-04-03-NWO | 13.50 |
| Y-OFS-6801-F-04-04-NWO | 4.80 |
| Y-OFS-6801-F-04-06-NWO | 6.75 |
| Y-OFS-6801-F-04-08-NWO | 8.30 |
| Y-OFS-6801-F-06-04-NWO | 6.85 |
| Y-OFS-6801-F-06-05-NWO | 12.45 |
| Y-OFS-6801-F-06-06-NWO | 6.75 |
| Y-OFS-6801-F-06-08-NWO | 8.40 |
| Y-OFS-6801-F-06-10-NWO | 12.35 |
| Y-OFS-6801-F-06-12-NWO | 17.20 |
| Y-OFS-6801-F-06-16-NWO | 38.95 |
| Y-OFS-6801-F-08-04-NWO | 16.00 |
| Y-OFS-6801-F-08-06-NWO | 8.00 |
| Y-OFS-6801-F-08-08-NWO | 7.95 |
| Y-OFS-6801-F-08-10-NWO | 11.90 |
| Y-OFS-6801-F-08-12-NWO | 16.55 |
| Y-OFS-6801-F-10-08-NWO | 11.25 |
| Y-OFS-6801-F-10-10-NWO | 11.90 |
| Y-OFS-6801-F-10-12-NWO | 16.55 |
| Y-OFS-6801-F-12-08-NWO | 17.70 |
| Y-OFS-6801-F-12-10-NWO | 17.70 |
| Y-OFS-6801-F-12-12-NWO | 17.20 |
| Y-OFS-6801-F-12-16-NWO | 24.35 |
| Y-OFS-6801-F-16-12-NWO | 24.60 |
| Y-OFS-6801-F-16-14-NWO | 57.90 |
| Y-OFS-6801-F-16-16-NWO | 23.35 |
| Y-OFS-6801-F-16-20-NWO | 37.65 |
| Y-OFS-6801-F-20-12-NWO | 46.95 |
| Y-OFS-6801-F-20-16-NWO | 36.55 |
| Y-OFS-6801-F-20-20-NWO | 34.60 |
| Y-OFS-6801-F-20-24-NWO | 51.50 |
| Y-OFS-6801-F-24-20-NWO | 53.65 |
| Y-OFS-6801-F-24-24-NWO | 50.75 |




Y-OFS-6801-F-L-NWO - 90°
(1) Male OFS
(2) Adj. O-Ring-Long

| | |
|--------------------------|-------|
| Y-OFS-6801-F-L-04-04-NWO | 9.85 |
| Y-OFS-6801-F-L-06-06-NWO | 14.00 |
| Y-OFS-6801-F-L-08-08-NWO | 16.20 |
| Y-OFS-6801-F-L-10-10-NWO | 28.60 |
| Y-OFS-6801-F-L-12-12-NWO | 29.00 |
| Y-OFS-6801-F-L-16-16-NWO | 42.30 |
| Y-OFS-6801-F-L-20-20-NWO | 93.10 |



Y-OFS-6801-F-LL-NWO - 90°
(1) Male OFS
(2) Adj. O-Ring-Ex. Long

| | |
|---------------------------|-------|
| Y-OFS-6801-F-LL-08-08-NWO | 26.20 |
| Y-OFS-6801-F-LL-12-12-NWO | 54.70 |
| Y-OFS-6801-F-LL-16-16-NWO | 72.45 |




Y-OFS-6802-F-NWO - 45°
(1) Male OFS
(2) Adj. O-Ring

| | |
|------------------------|-------|
| Y-OFS-6802-F-04-03-NWO | 14.40 |
| Y-OFS-6802-F-04-04-NWO | 5.15 |
| Y-OFS-6802-F-04-05-NWO | 16.75 |
| Y-OFS-6802-F-04-06-NWO | 6.05 |
| Y-OFS-6802-F-06-04-NWO | 6.30 |
| Y-OFS-6802-F-06-06-NWO | 6.45 |
| Y-OFS-6802-F-06-08-NWO | 7.60 |
| Y-OFS-6802-F-06-10-NWO | 14.95 |
| Y-OFS-6802-F-08-06-NWO | 7.05 |
| Y-OFS-6802-F-08-08-NWO | 8.15 |
| Y-OFS-6802-F-08-10-NWO | 11.30 |
| Y-OFS-6802-F-08-12-NWO | 15.20 |
| Y-OFS-6802-F-10-08-NWO | 11.90 |
| Y-OFS-6802-F-10-10-NWO | 11.55 |
| Y-OFS-6802-F-10-12-NWO | 14.90 |
| Y-OFS-6802-F-12-08-NWO | 21.00 |
| Y-OFS-6802-F-12-10-NWO | 13.75 |
| Y-OFS-6802-F-12-12-NWO | 16.10 |
| Y-OFS-6802-F-12-16-NWO | 23.50 |
| Y-OFS-6802-F-16-12-NWO | 21.20 |
| Y-OFS-6802-F-16-16-NWO | 23.60 |
| Y-OFS-6802-F-16-20-NWO | 30.35 |
| Y-OFS-6802-F-20-16-NWO | 48.80 |
| Y-OFS-6802-F-20-20-NWO | 31.50 |
| Y-OFS-6802-F-24-24-NWO | 61.00 |

IMPORT O-RING FACE SEAL


Styles may vary from picture



Y-OFS-6803-F-NWO - Tee

- (1) (2) Male OFS
- (3) Adj. O-Ring

| | |
|---------------------------|--------|
| Y-OFS-6803-F-04-04-04-NWO | 7.90 |
| Y-OFS-6803-F-06-06-03-NWO | 23.50 |
| Y-OFS-6803-F-06-06-04-NWO | 20.45 |
| Y-OFS-6803-F-06-06-06-NWO | 11.00 |
| Y-OFS-6803-F-06-06-08-NWO | 15.35 |
| Y-OFS-6803-F-08-08-06-NWO | 16.30 |
| Y-OFS-6803-F-08-08-08-NWO | 12.75 |
| Y-OFS-6803-F-10-10-10-NWO | 19.95 |
| Y-OFS-6803-F-12-12-10-NWO | 33.55 |
| Y-OFS-6803-F-12-12-12-NWO | 25.30 |
| Y-OFS-6803-F-12-12-16-NWO | 54.50 |
| Y-OFS-6803-F-12-16-16-NWO | 59.65 |
| Y-OFS-6803-F-16-16-16-NWO | 37.65 |
| Y-OFS-6803-F-16-16-20-NWO | 86.40 |
| Y-OFS-6803-F-20-20-16-NWO | 82.30 |
| Y-OFS-6803-F-20-20-20-NWO | 69.75 |
| Y-OFS-6803-F-24-24-24-NWO | 120.25 |




Y-OFS-6804-F-NWO - Tee

- (1) (3) Male OFS
- (2) Adj. O-Ring

| | |
|---------------------------|-------|
| Y-OFS-6804-F-04-04-04-NWO | 7.90 |
| Y-OFS-6804-F-04-04-06-NWO | 15.05 |
| Y-OFS-6804-F-04-06-04-NWO | 15.40 |
| Y-OFS-6804-F-06-04-06-NWO | 15.10 |
| Y-OFS-6804-F-06-06-06-NWO | 10.65 |
| Y-OFS-6804-F-08-06-08-NWO | 18.40 |
| Y-OFS-6804-F-08-08-04-NWO | 20.00 |
| Y-OFS-6804-F-08-08-08-NWO | 12.35 |
| Y-OFS-6804-F-08-10-08-NWO | 29.30 |
| Y-OFS-6804-F-08-12-04-NWO | 42.50 |
| Y-OFS-6804-F-08-12-08-NWO | 26.15 |
| Y-OFS-6804-F-08-16-08-NWO | 61.20 |
| Y-OFS-6804-F-10-10-08-NWO | 29.30 |
| Y-OFS-6804-F-10-10-10-NWO | 18.55 |
| Y-OFS-6804-F-10-12-10-NWO | 37.70 |
| Y-OFS-6804-F-10-12-12-NWO | 37.90 |
| Y-OFS-6804-F-12-08-12-NWO | 39.50 |
| Y-OFS-6804-F-12-12-08-NWO | 41.15 |
| Y-OFS-6804-F-12-12-10-NWO | 41.15 |
| Y-OFS-6804-F-12-12-12-NWO | 25.45 |
| Y-OFS-6804-F-12-12-16-NWO | 48.00 |


| | |
|---------------------------|--------|
| Y-OFS-6804-F-12-16-12-NWO | 63.00 |
| Y-OFS-6804-F-12-16-16-NWO | 56.75 |
| Y-OFS-6804-F-16-16-12-NWO | 56.75 |
| Y-OFS-6804-F-16-16-16-NWO | 34.25 |
| Y-OFS-6804-F-16-20-08-NWO | 96.85 |
| Y-OFS-6804-F-20-20-20-NWO | 60.05 |
| Y-OFS-6804-F-24-24-24-NWO | 120.25 |



Y-OFS-6809-F-NWO - 90°

- (1) Fem. OFS Swivel
- (2) Adj. O-Ring


| | |
|------------------------|-------|
| Y-OFS-6809-F-04-04-NWO | 7.75 |
| Y-OFS-6809-F-06-06-NWO | 9.15 |
| Y-OFS-6809-F-08-08-NWO | 11.25 |
| Y-OFS-6809-F-10-10-NWO | 16.75 |
| Y-OFS-6809-F-12-12-NWO | 23.45 |
| Y-OFS-6809-F-16-16-NWO | 37.70 |
| Y-OFS-6809-F-20-20-NWO | 60.45 |
| Y-OFS-6809-F-24-24-NWO | 69.65 |



Y-OFS-FJIC-6504 - Str.

- (1) Male OFS
- (2) Fem. JIC Swivel


| | |
|-----------------------|-------|
| Y-OFS-FJIC-6504-04-04 | 4.70 |
| Y-OFS-FJIC-6504-06-06 | 6.25 |
| Y-OFS-FJIC-6504-08-08 | 7.45 |
| Y-OFS-FJIC-6504-10-10 | 12.40 |
| Y-OFS-FJIC-6504-12-12 | 18.50 |
| Y-OFS-FJIC-6504-16-16 | 26.50 |
| Y-OFS-FJIC-6504-20-20 | 40.60 |
| Y-OFS-FJIC-6504-24-24 | 69.00 |



Y-OFS-MJIC-2403 - Str.

- (1) Male OFS
- (2) Male JIC

| | |
|-----------------------|-------|
| Y-OFS-MJIC-2403-04-04 | 3.00 |
| Y-OFS-MJIC-2403-06-06 | 4.75 |
| Y-OFS-MJIC-2403-08-08 | 5.55 |
| Y-OFS-MJIC-2403-10-10 | 7.70 |
| Y-OFS-MJIC-2403-12-08 | 34.95 |
| Y-OFS-MJIC-2403-12-12 | 9.75 |
| Y-OFS-MJIC-2403-16-16 | 14.25 |
| Y-OFS-MJIC-2403-20-20 | 31.75 |
| Y-OFS-MJIC-2403-24-24 | 72.25 |



Y-OFS-MJIC-6504 - Str.

- (1) Fem. OFS Swivel
- (2) Male JIC

| | |
|-----------------------|-------|
| Y-OFS-MJIC-6504-04-04 | 6.05 |
| Y-OFS-MJIC-6504-06-06 | 5.65 |
| Y-OFS-MJIC-6504-08-06 | 16.35 |
| Y-OFS-MJIC-6504-08-08 | 7.90 |
| Y-OFS-MJIC-6504-10-10 | 9.25 |
| Y-OFS-MJIC-6504-12-12 | 13.05 |
| Y-OFS-MJIC-6504-16-16 | 20.90 |
| Y-OFS-MJIC-6504-20-20 | 30.35 |
| Y-OFS-MJIC-6504-24-24 | 77.40 |

Imported O-Ring Face Seal Fittings

| | | | | | | | | |
|---------------------------------|------|-------|-------|------|-------|-------|-------|------|
| Dash Number | 4 | 6 | 8 | 10 | 12 | 16 | 20 | 24 |
| Tube O.D. | ¼ | ⅜ | ½ | ⅝ | ¾ | 1 | 1-¼ | 1-½ |
| O-Ring Face Seal Thread | ⅝-18 | 1¼-16 | 1⅜-16 | 1-14 | 1⅜-12 | 1⅞-12 | 1⅞-12 | 2-12 |
| O-Ring Face Seal PSI 4:1 | 6000 | 6000 | 6000 | 6000 | 6000 | 5500 | 4000 | 4000 |
| Adjustable Fittings PSI | 5000 | 5000 | 5000 | 4500 | 4000 | 3000 | 2500 | 2000 |
| Pipe Thread Std. 4:1 | 5000 | 4500 | 3000 | | 3000 | 1750 | 1500 | 1500 |

Notes: _____

PARTS INDEX

| | | | |
|-----------------------|---|---------------------------|---|
| Y-OFS-0304-C | 1 | Y-OFS-2701-F-LN | 4 |
| Y-OFS-0306 | 1 | Y-OFS-2702-F | 4 |
| Y-OFS-0318 | 1 | Y-OFS-2702-F-LN | 4 |
| Y-OFS-0319 | 1 | Y-OFS-2703-F | 4 |
| Y-OFS-0403 | 1 | Y-OFS-2703-F-LN | 4 |
| Y-OFS-1700-61 | 1 | Y-OFS-2704-F | 4 |
| Y-OFS-1700-62 | 1 | Y-OFS-2704-F-LN | 4 |
| Y-OFS-1703-F-61 | 1 | Y-OFS-6400-O | 5 |
| Y-OFS-1703-F-62 | 1 | Y-OFS-6400-L-O | 5 |
| Y-OFS-1704-F-61 | 2 | Y-OFS-6402-O | 5 |
| Y-OFS-1704-F-62 | 2 | Y-OFS-6500-F | 5 |
| Y-OFS-2403 | 2 | Y-OFS-6502-F | 5 |
| Y-OFS-2404 | 2 | Y-OFS-6504 | 5 |
| Y-OFS-2406 | 2 | Y-OFS-6505 | 5 |
| Y-OFS-2406-BLK | 2 | Y-OFS-6565 | 6 |
| Y-OFS-2407 | 2 | Y-OFS-6600-F | 6 |
| Y-OFS-2408 | 2 | Y-OFS-6602-F | 6 |
| Y-OFS-2500-F | 3 | Y-OFS-6801-F-NWO | 6 |
| Y-OFS-2501-F | 3 | Y-OFS-6801-F-L-NWO | 6 |
| Y-OFS-2503-F | 3 | Y-OFS-6801-F-LL-NWO | 6 |
| Y-OFS-2601-F | 3 | Y-OFS-6802-F-NWO | 6 |
| Y-OFS-2603-F | 3 | Y-OFS-6803-F-NWO | 7 |
| Y-OFS-2605-F | 3 | Y-OFS-6804-F-NWO | 7 |
| Y-OFS-2650-F | 3 | Y-OFS-6809-F-NWO | 7 |
| Y-OFS-2700 | 3 | Y-OFS-FJIC-6504 | 7 |
| Y-OFS-2700-LN | 4 | Y-OFS-MJIC-2403 | 7 |
| Y-OFS-2701-F | 4 | Y-OFS-MJIC-6504 | 7 |



FITTINGS UNLIMITED, INC.

Adapter & Fitting Specialist

1-800-348-8467