

# SOLID ZINC PLATED AND STAINLESS STEEL SHAFT COLLARS

SHAFT SIZE	OD	WIDTH	ZINC-PLATED COLLAR #	STAINLESS STEEL COLLAR #	SETSCREW SIZE	WEIGHT (OZ.)
1/8	3/8	1/4	LSC2 x 1/8	SSC2 x 1/8	6-32 x 1/8	0.10
3/16	7/16	1/4	LSC3 x 3/16	SSC3 x 3/16	8-32 x 1/8	0.10
1/4	1/2	9/32	LSC4 x 1/4	SSC4 x 1/4	10-32 x 1/8	0.20
5/16	5/8	5/16	LSC5 x 5/16	SSC5 x 5/16	10-32 x 1/8	0.30
3/8	3/4	3/8	LSC6 x 3/8	SSC6 x 3/8	1/4-20 x 3/16	0.50
7/16	7/8	7/16	LSC7 x 7/16	SSC7 x 7/16	1/4-20 x 1/4	0.80
1/2	1	7/16	LSC8 x 1/2	SSC8 x 1/2	1/4-20 x 1/4	1.10
9/16	1	7/16	LSC9 x 9/16	SSC9 x 9/16	1/4-20 x 1/4	1.00
5/8	1 1/8	1/2	LSC10 x 5/8	SSC10 x 5/8	5/16-18 x 1/4	1.50
11/16	1 1/4	9/16	LSC11 x 11/16	SSC11 x 11/16	5/16-18 x 1/4	2.00
3/4	1 1/4	9/16	LSC12 x 3/4	SSC12 x 3/4	5/16-18 x 1/4	1.90
13/16	1 5/16	9/16	LSC13 x 13/16	SSC13 x 13/16	5/16-18 x 1/4	1.70
7/8	1 1/2	9/16	LSC14 x 7/8	SSC14 x 7/8	5/16-18 x 1/4	2.90
15/16	1 1/2	9/16	LSC15 x 15/16	SSC15 x 15/16	5/16-18 x 1/4	2.74
1	1 5/8	5/8	LSC16 x 1	SSC16 x 1	5/16-18 x 1/4	2.78
1 1/16	1 3/4	5/8	LSC17 x 1 1/16	SSC17 x 1 1/16	5/16-18 x 5/16	4.10
1 1/8	1 3/4	5/8	LSC18 x 1 1/8	SSC18 x 1 1/8	5/16-18 x 5/16	3.90
1 3/16	2	11/16	LSC19 x 1 3/16	SSC19 x 1 3/16	3/8-16 x 3/8	6.10
1 1/4	2	11/16	LSC20 x 1 1/4	SSC20 x 1 1/4	3/8-16 x 3/8	5.70
1 5/16	2 1/8	11/16	LSC21 x 1 5/16	SSC21 x 1 5/16	3/8-16 x 3/8	6.60
1 3/8	2 1/8	3/4	LSC22 x 1 3/8	SSC22 x 1 3/8	3/8-16 x 3/8	6.70
1 7/16	2 1/4	3/4	LSC23 x 1 7/16	SSC23 x 1 7/16	3/8-16 x 3/8	7.60
1 1/2	2 1/4	3/4	LSC24 x 1 1/2	SSC24 x 1 1/2	3/8-16 x 3/8	7.20
1 9/16	2 1/2	13/16	LSC25 x 1 9/16	SSC25 x 1 9/16	3/8-16 x 3/8	10.70
1 5/8	2 1/2	13/16	LSC26 x 1 5/8	SSC26 x 1 5/8	3/8-16 x 3/8	10.10
1 11/16	2 1/2	13/16	LSC27 x 1 11/16	SSC27 x 1 11/16	3/8-16 x 3/8	9.50
1 3/4	2 5/8	7/8	LSC28 x 1 3/4	SSC28 x 1 3/4	1/2-13 x 1/2	11.40

LSC = Zinc Plated Steel

SSC = 304 Stainless Steel

Collars come with 1 set screw.



## SOLID ZINC PLATED AND STAINLESS STEEL SHAFT COLLARS

SHAFT SIZE	OD	WIDTH	ZINC-PLATED COLLAR #	STAINLESS STEEL COLLAR #	SETSCREW SIZE	WEIGHT (OZ.)
1 13/16	2 3/4	7/8	LSC29x1 13/16	SSC29x1 13/16	1/2-13x 1/2	12.70
1 7/8	2 3/4	7/8	LSC30x1 7/8	SSC30x1 7/8	1/2-13x 1/2	12.20
1 15/16	3	7/8	LSC31x1 15/16	SSC31x1 15/16	1/2-13x 1/2	15.70
2	3	7/8	LSC32x2	SSC32x2	1/2-13x 1/2	14.90
2 1/8	3	7/8	LSC34x2 1/8	SSC34x2 1/8	1/2-13x 1/2	13.30
2 3/16	3 1/4	15/16	LSC35x2 3/16	SSC35x2 3/16	1/2-13x 1/2	18.60
2 1/4	3 1/4	15/16	LSC36x2 1/4	SSC36x2 1/4	1/2-13x 1/2	17.70
2 5/16	3 1/4	15/16	LSC37x2 5/16	-----	1/2-13x 1/2	16.80
2 3/8	3 1/4	15/16	LSC38x2 3/8	SSC38x2 3/8	1/2-13x 1/2	15.90
2 7/16	3 1/2	1	LSC39x2 7/16	SSC39x2 7/16	1/2-13x 1/2	21.80
2 1/2	3 1/2	1	LSC40x2 1/2	SSC40x2 1/2	1/2-13x 1/2	20.80
2 9/16	3 3/4	1	LSC41x2 9/16	-----	1/2-13x 1/2	25.96
2 5/8	4	1 1/8	LSC42x2 5/8	SSC42x2 5/8	1/2-13x 1/2	35.49
2 11/16	4	1 1/8	LSC43x2 11/16	SSC43x2 11/16	1/2-13x 1/2	34.40
2 3/4	4	1 1/8	LSC44x2 3/4	-----	1/2-13x 1/2	33.50
2 7/8	4 1/4	1 1/8	LSC46x2 7/8	SSC46x2 7/8	1/2-13x 1/2	29.70
2 15/16	4 1/4	1 1/8	LSC47x2 15/16	SSC47x2 15/16	1/2-13x 1/2	29.30
3	4 1/4	1 1/8	LSC48x3	SSC48x3	1/2-13x 1/2	27.70
3 3/16	4 1/4	1 1/8	LSC51x3 3/16	SSC51x3 3/16	1/2-13x 1/2	31.00
3 7/16	4 1/4	1 1/8	LSC55x3 7/16	SSC55x3 7/16	1/2-13x 1/2	33.00
3 1/2	4 3/4	1 1/8	LSC56x3 1/2	SSC56x3 1/2	1/2-13x 1/2	40.70
3 15/16	5	1 1/8	LSC63x3 15/16	SSC63x3 15/16	1/2-13x 1/2	37.60
4	5 1/4	1 3/8	LSC64x4	SSC64x4	1/2-13x 1/2	39.00
4 1/4	5 1/2	1 3/8	LSC85x4 1/4	-----	1/2-13x 1/2	55.00
4 7/16	6	1 3/8	LSC90x4 7/16	-----	1/2-13x 1/2	41.20
4 15/16	6 3/8	1 3/8	LSC93x4 15/16	-----	1/2-13x 1/2	53.10

For personal service and special requests, please call us at 800.242.4633.

CAD drawings available upon request at no additional charge.



**MOLINE BEARING CO.**

Post Office Box 99, Batavia, Illinois 60510, USA  
630.584.4600, 800.242.4633, 630.584.1999 fax  
www.molinebearing.com, sales@molinebearing.com

TEL # **800.242.4633**

133

## BLACK OXIDE SINGLE/DOUBLE SPLIT COLLARS

SHAFT SIZE	OD	WIDTH	SINGLE SPLIT PART #	WEIGHT (OZ.)	DOUBLE SPLIT PART #	SETSCREW SIZE	WEIGHT (OZ.)
1/4	11/16	5/16	SCS4 x 1/4	0.40	DSC4 x 1/4	4-40 x 3/8	0.38
5/16	11/16	5/16	SCS5 x 5/16	0.36	DSC5 x 5/16	4-40 x 3/8	0.34
3/8	7/8	11/32	SCS6 x 3/8	0.70	DSC6 x 3/8	6-32 x 3/8	0.71
7/16	15/16	3/8	SCS7 x 7/16	0.81	DSC7 x 7/16	6-32 x 3/8	0.76
1/2	1 1/8	13/32	SCS8 x 1/2	1.30	DSC8 x 1/2	8-32 x 1/2	1.26
9/16	1 1/4	7/16	SCS9 x 9/16	2.00	DSC9 x 9/16	10-32 x 1/2	2.00
5/8	1 5/16	7/16	SCS10 x 5/8	1.80	DSC10 x 5/8	10-32 x 1/2	1.80
11/16	1 3/8	7/16	SCS11 x 11/16	2.90	DSC11 x 11/16	10-32 x 1/2	2.80
3/4	1 1/2	1/2	SCS12 x 3/4	2.70	DSC12 x 3/4	1/4-28 x 5/8	2.60
13/16	1 5/8	1/2	SCS13 x 13/16	3.20	DSC13 x 13/16	1/4-28 x 5/8	3.10
7/8	1 5/8	1/2	SCS14 x 7/8	2.96	DSC14 x 7/8	1/4-28 x 5/8	2.83
15/16	1 3/4	1/2	SCS15 x 15/16	3.51	DSC15 x 15/16	1/4-28 x 5/8	3.40
1	1 3/4	1/2	SCS16 x 1	3.30	DSC16 x 1	1/4-28 x 5/8	3.10
1 1/16	1 7/8	1/2	SCS17 x 1 1/16	3.90	DSC17 x 1 1/16	1/4-28 x 5/8	3.67
1 1/8	1 7/8	1/2	SCS18 x 1 1/8	3.63	DSC18 x 1 1/8	1/4-28 x 5/8	3.50
1 3/16	2 1/16	1/2	SCS19 x 1 3/16	4.70	DSC19 x 1 3/16	1/4-28 x 5/8	4.50
1 1/4	2 1/16	1/2	SCS20 x 1 1/4	4.40	DSC20 x 1 1/4	1/4-28 x 5/8	4.22
1 5/16	2 1/8	9/16	SCS21 x 1 5/16	6.19	DSC21 x 1 5/16	1/4-28 x 5/8	5.90
1 3/8	2 1/4	9/16	SCS22 x 1 3/8	5.90	DSC22 x 1 3/8	1/4-28 x 5/8	5.70
1 7/16	2 1/4	9/16	SCS23 x 1 7/16	5.50	DSC23 x 1 7/16	1/4-28 x 5/8	5.23
1 1/2	2 3/8	9/16	SCS24 x 1 1/2	6.30	DSC24 x 1 1/2	1/4-28 x 5/8	6.06
1 9/16	2 3/8	9/16	SCS25 x 1 9/16	5.90	DSC25 x 1 9/16	1/4-28 x 5/8	5.61
1 5/8	2 5/8	11/16	SCS26 x 1 5/8	9.65	DSC26 x 1 5/8	1/4-28 x 5/8	9.31
1 11/16	2 3/4	11/16	SCS27 x 1 11/16	10.70	DSC27 x 1 11/16	5/16-24 x 1	9.86
1 3/4	2 3/4	11/16	SCS28 x 1 3/4	10.20	DSC28 x 1 3/4	5/16-24 x 1	11.00

SCS and DSC = Black Oxided Steel



## BLACK OXIDE SINGLE/DOUBLE SPLIT COLLARS

SHAFT SIZE	OD	WIDTH	SINGLE SPLIT PART #	WEIGHT (OZ.)	DOUBLE SPLIT PART #	SETSCREW SIZE	WEIGHT (OZ.)
1 13/16	2 7/8	1 1/16	SCS29 x 1 13/16	10.70	DSC29 x 1 13/16	5/16-24 x 1	12.00
1 7/8	2 7/8	1 1/16	SCS30 x 1 7/8	10.90	DSC30 x 1 7/8	5/16-24 x 1	10.46
1 15/16	3	1 1/16	SCS31 x 1 15/16	12.00	DSC31 x 1 15/16	5/16-24 x 1	11.57
2	3	1 1/16	SCS32 x 2	11.60	DSC32 x 2	5/16-24 x 1	11.00
2 1/16	3 1/8	3/4	-----	---	DSC33 x 2 1/16	5/16-24 x 1	12.00
2 1/8	3 1/4	3/4	SCS34 x 2 1/8	15.20	DSC34 x 2 1/8	5/16-24 x 1	15.00
2 3/16	3 1/4	3/4	SCS35 x 2 3/16	14.40	DSC35 x 2 3/16	5/16-24 x 1	14.00
2 1/4	3 1/4	3/4	SCS36 x 2 1/4	13.66	DSC36 x 2 1/4	5/16-24 x 1	13.10
2 5/16	3 3/8	3/4	SCS37 x 2 5/16		DSC37 x 2 5/16	5/16-24 x 1	15.90
2 3/8	3 1/2	3/4	SCS38 x 2 3/8	16.50	DSC38 x 2 3/8	5/16-24 x 1	15.20
2 7/16	3 1/2	3/4	SCS39 x 2 7/16	15.60	DSC39 x 2 7/16	5/16-24 x 1	15.30
2 1/2	3 3/4	7/8	SCS40 x 2 1/2	23.10	DSC40 x 2 1/2	3/8-24 x 1-1/4	22.30
2 9/16	3 7/8	7/8	SCS41 x 2 9/16	22.00	DSC41 x 2 9/16	3/8-24 x 1-1/4	21.00
2 5/8	3 7/8	7/8	-----	---	DSC42 x 2 5/8	3/8-24 x 1-1/4	24.00
2 11/16	4	7/8	SCS43 x 2 11/16	25.80	DSC43 x 2 11/16	3/8-24 x 1-1/4	25.00
2 3/4	4	7/8	SCS44 x 2 3/4	29.20	DSC44 x 2 3/4	3/8-24 x 1-1/4	24.00
2 13/16	4 1/4	7/8	-----	---	DSC45 x 2 13/16	3/8-24 x 1-1/4	24.00
2 7/8	4 1/4	7/8	SCS46 x 2 7/8	29.20	DSC46 x 2 7/8	3/8-24 x 1-1/4	29.00
2 15/16	4 1/4	7/8	SCS47 x 2 15/16	28.00	DSC47 x 2 15/16	3/8-24 x 1-1/4	26.50
3	4 1/4	7/8	SCS48 x 3	26.80	DSC48 x 3	3/8-24 x 1-1/4	25.80
3 3/16	4 1/2	7/8	SCS51 x 3 3/16	25.00	DSC51 x 3 3/16	3/8-24 x 1-1/4	28.30
3 7/16	4 1/2	7/8	SCS55 x 3 7/16	25.10	DSC55 x 3 7/16	3/8-24 x 1-1/4	31.00
3 15/16	5 1/4	7/8	SCS63 x 3 15/16	34.00	DSC63 x 3 15/16	3/8-24 x 1-1/4	35.00
4	5 1/4	7/8	SCS64 x 4	33.40	DSC64 x 4	3/8-24 x 1-1/4	33.00
4 7/16	5 3/4	7/8	-----	---	DSC90 x 4 7/16	3/8-24 x 1-1/4	34.00

SCS and DSC = Black Oxided Steel

For personal service and special requests, please call us at 800.242.4633.

CAD drawings available upon request at no additional charge.



**MOLINE BEARING CO.**

Post Office Box 99, Batavia, Illinois 60510, USA  
630.584.4600, 800.242.4633, 630.584.1999 fax  
www.molinebearing.com, sales@molinebearing.com

TEL # **800.242.4633**

135

## STAINLESS STEEL SINGLE/DOUBLE SPLIT COLLARS

SHAFT SIZE	OD	WIDTH	STAINLESS SINGLE SPLIT PART #	WEIGHT (OZ.)	STAINLESS DOUBLE SPLIT PART #	SETSCREW SIZE	WEIGHT (OZ.)
1/4	11/16	5/16	SSCS4 x 1/4	0.40	SDSC4 x 1/4	4-40 x 3/8	0.38
5/16	11/16	5/16	SSCS5 x 5/16	0.36	SDSC5 x 5/16	4-40 x 3/8	0.34
3/8	7/8	11/32	SSCS6 x 3/8	0.70	SDSC6 x 3/8	6-32 x 3/8	0.71
7/16	15/16	3/8	SSCS7 x 7/16	0.81	SDSC7 x 7/16	6-32 x 3/8	0.76
1/2	1 1/8	13/32	SSCS8 x 1/2	1.30	SDSC8 x 1/2	8-32 x 1/2	1.26
9/16	1 1/4	7/16	SSCS9 x 9/16	2.00	SDSC9 x 9/16	10-32 x 1/2	2.00
5/8	1 5/16	7/16	SSCS10 x 5/8	1.80	SDSC10 x 5/8	10-32 x 1/2	1.80
11/16	1 3/8	7/16	SSCS11 x 11/16	2.90	SDSC11 x 11/16	10-32 x 1/2	2.80
3/4	1 1/2	1/2	SSCS12 x 3/4	2.70	SDSC12 x 3/4	1/4-28 x 5/8	2.60
13/16	1 5/8	1/2	SSCS13 x 13/16	3.20	SDSC13 x 13/16	1/4-28 x 5/8	3.10
7/8	1 7/8	1/2	SSCS14 x 7/8	2.96	SDSC14 x 7/8	1/4-28 x 5/8	2.83
15/16	1 3/4	1/2	SSCS15 x 15/16	3.51	SDSC15 x 15/16	1/4-28 x 5/8	3.40
1	1 3/4	1/2	SSCS16 x 1	3.30	SDSC16 x 1	1/4-28 x 5/8	3.10
1 1/16	1 7/8	1/2	SSCS17 x 1 1/16	3.90	SDSC17 x 1 1/16	1/4-28 x 5/8	3.67
1 1/8	1 7/8	1/2	SSCS18 x 1 1/8	3.63	SDSC18 x 1 1/8	1/4-28 x 3/4	3.50
1 3/16	2 1/16	1/2	SSCS19 x 1 3/16	4.70	SDSC19 x 1 3/16	1/4-28 x 3/4	4.50
1 1/4	2 1/16	1/2	SSCS20 x 1 1/4	4.40	SDSC20 x 1 1/4	1/4-28 x 3/4	4.22
1 5/16	2 1/8	9/16	SSCS21 x 1 5/16	6.19	SDSC21 x 1 5/16	1/4-28 x 3/4	5.90
1 3/8	2 1/4	9/16	SSCS22 x 1 3/8	5.90	SDSC22 x 1 3/8	1/4-28 x 3/4	5.70
1 7/16	2 1/4	9/16	SSCS23 x 1 7/16	5.50	SDSC23 x 1 7/16	1/4-28 x 3/4	5.23
1 1/2	2 3/8	9/16	SSCS24 x 1 1/2	6.30	SDSC24 x 1 1/2	1/4-28 x 3/4	6.06
1 9/16	2 3/8	9/16	SSCS25 x 1 9/16	5.90	SDSC25 x 1 9/16	1/4-28 x 3/4	5.61
1 5/8	2 5/8	11/16	SSCS26 x 1 5/8	9.65	SDSC26 x 1 5/8	5/16-24 x 1	9.31

SSCS and SDSC = 304 Stainless Steel



## STAINLESS STEEL SINGLE/DOUBLE SPLIT COLLARS

SHAFT SIZE	OD	WIDTH	STAINLESS SINGLE SPLIT PART #	WEIGHT (OZ.)	STAINLESS DOUBLE SPLIT PART #	SETSCREW SIZE	WEIGHT (OZ.)
1 1/16	2 3/4	1 1/16	SSCS27 x 1 1/16	10.70	SDSC27 x 1 1/16	5/16-24 x 1	9.86
1 3/4	2 3/4	1 1/16	SSCS28 x 1 3/4	10.20	SDSC28 x 1 3/4	5/16-24 x 1	11.00
1 13/16	2 7/8	1 1/16	SSCS29 x 1 13/16	10.40	SDSC29 x 1 13/16	5/16-24 x 1	10.70
1 7/8	2 7/8	1 1/16	SSCS30 x 1 7/8	10.90	SDSC30 x 1 7/8	5/16-24 x 1	10.46
1 15/16	3	1 1/16	SSCS31 x 1 15/16	12.00	SDSC31 x 1 15/16	5/16-24 x 1	11.57
2	3	1 1/16	SSCS32 x 2	11.60	SDSC32 x 2	5/16-24 x 1	11.00
2 1/8	3 1/4	3/4	SSCS34 x 2 1/8	15.20	SDSC34 x 2 1/8	5/16-24 x 1	15.00
2 3/16	3 1/4	3/4	SSCS35 x 2 3/16	14.40	SDSC35 x 2 3/16	5/16-24 x 1	14.00
2 1/4	3 1/4	3/4	SSCS36 x 2 1/4	13.66	SDSC36 x 2 1/4	5/16-24 x 1	13.10
2 5/16	3 3/8	3/4	SSCS37 x 2 5/16	16.00	SDSC37 x 2 5/16	5/16-24 x 1	15.90
2 3/8	3 1/2	3/4	SSCS38 x 2 3/8	16.50	SDSC38 x 2 3/8	5/16-24 x 1	15.20
2 7/16	3 1/2	3/4	SSCS39 x 2 7/16	15.60	SDSC39 x 2 7/16	5/16-24 x 1	15.30
2 1/2	3 3/4	7/8	SSCS40 x 2 1/2	23.10	SDSC40 x 2 1/2	3/8-24 x 1-1/4	22.30
2 9/16	3 7/8	7/8	SSCS41 x 2 9/16	22.00	SDSC41 x 2 9/16	3/8-24 x 1-1/4	21.00
2 5/8	3 7/8	7/8	-----	----	SDSC42 x 2 5/8	3/8-24 x 1-1/4	24.00
2 11/16	4	7/8	SSCS43 x 2 11/16	25.80	SDSC43 x 2 11/16	3/8-24 x 1-1/4	25.00
2 3/4	4	7/8	SSCS44 x 2 3/4	29.20	SDSC44 x 2 3/4	3/8-24 x 1-1/4	24.00
2 7/8	4 1/4	7/8	SSCS46 x 2 7/8	29.20	SDSC46 x 2 7/8	3/8-24 x 1-1/4	29.00
2 15/16	4 1/4	7/8	SSCS47 x 2 15/16	28.00	SDSC47 x 2 15/16	3/8-24 x 1-1/4	26.50
3	4 1/4	7/8	SSCS48 x 3	26.80	SDSC48 x 3	3/8-24 x 1-1/4	25.80
3 3/16	4 1/2	7/8	SSCS51 x 3 3/16	25.00	SDSC51 x 3 3/16	3/8-24 x 1-1/4	28.30
3 7/16	4 1/2	7/8	SSCS55 x 3 7/16	33.00	SDSC55 x 3 7/16	3/8-24 x 1-1/4	31.00
3 1/2	4 3/4	7/8	-----	----	SDSC56 x 3 1/2	3/8-24 x 1-1/4	32.00

For personal service and special requests, please call us at 800.242.4633.

CAD drawings available upon request at no additional charge.



**MOLINE BEARING CO.**

Post Office Box 99, Batavia, Illinois 60510, USA  
 630.584.4600, 800.242.4633, 630.584.1999 fax  
[www.molinebearing.com](http://www.molinebearing.com), [sales@molinebearing.com](mailto:sales@molinebearing.com)

TEL # **800.242.4633**

137